





# REPERTORY A COMPARITIVE STUDY

Dr SHALINI G UNNITHAN MD(Hom.)

Prof. & HOD

Dept of Repertory

SVRHMC, Nemom

# TITLE

## TPB

## KENT

## BBCR

❖ ORIGINAL - Therapeutic Manual for Homoeopathic Physicians, for use at the sick-bed and in the study of the Materia Medica Pura

❖ T. F ALLEN - Same as Okie - Boenninghausen's Therapeutic Pocket Book for Homoeopaths; to be used at the Bedside of the Patient and in the study of the Materia Medica

❖ H A ROBERT - The Principles and Practicability of Boenninghausen's Therapeutic Pocket Book for Homoeopathic Physicians to use at the Bedside and in the study of the Materia Medica

Repertory of Homoeopathic Materia Medica

Boenninghausen's Characteristics and Repertory (with corrected abbreviations & Word Index) by C M Boger

❖ Corrected abbreviations – RASTOGI & V D SHARMA

❖ Word index – S P ROY

# LIFE HISTORY

TPB	KENT	BBCR
<ul style="list-style-type: none"> <li>•Netherlands – 1785                             <ul style="list-style-type: none"> <li>•Lippe – 1777</li> </ul> </li> <li>•Lawyer turned homoeopath</li> <li>•Purulent TB – Dr Weihe – Puls - 1828</li>   <li>❖ Doctrine of analogy</li> </ul>	<ul style="list-style-type: none"> <li>❖Town of Woodhull, New York - 31st March 1849</li> <li>•Elementary and secondary education - In Franklin academy ; Eclectic medical institute, Ohio – 1871; St. Louis as a physician of the eclectic school – professor of anatomy</li> <li>•insomnia of his <u>second wife (Lucy) by Dr.Phelan giving Lachesis</u>. (first wife – Ellen) "nervous weakness, insomnia, and anaemia“</li> <li>•Died of Bright’s disease on 6th June 1916 at Stevensville, Montana.</li> <li>•Follower of Christian religious sect headed by Emanuel Swedenborg - illness had spiritual causes</li> </ul>	<ul style="list-style-type: none"> <li>•1861 - 1935</li> <li>•graduated from the Philadelphia college of medicine</li> <li>•later studied at Hahnemanns Hom. college in Philadelphia</li> <li>•American homoeopath of German origin</li> <li>•contemporary of Dr. Kent</li> </ul>

Boenninghausen recovered from TB in 1828 & developed firm believe in Homoeopathy



1830 he came close to Hahnemann



Hahnemann was feeling acutely the need of a guiding index or repertory



Ruckert/ Gross/ Jahr / Boenninghausen  
were asked by master to prepare Repertory



Homoeopathy Hand written Guide was prepared for repertory in 1830 by Boenninghausen.

## Literary Contribution By BOENNINGHAUSEN:

- The cure of cholera and its preventions. - 1831.
- Repertory of the Anti-psoric medicines with a preface by Hahnemann (regarding the Repetition of the Dose of the Remedy) - 1832.
- Summary View of the Chief Sphere of operation of the Anti-psoric remedies and their characteristics peculiarities, as an appendix to their Repertory. - 1833.
- An attempt at a Homoeopathic Therapy of Intermittent Fever. - 1833.
- Contributions to knowledge of the peculiarities of Homoeopathic Remedies. - 1833.

- Homoeopathic Diet and a complete image of disease. – 1833
- Homoeopathy, a manual for the Non-medical public. - 1834.
- Repertory of the Medicines, which are not Anti-psoric. - 1835.
- Attempt at showing the Relative Kinship of Homoeopathic Medicines. - 1836.
- ❖ Therapeutic Manual for Homoeopathic Physicians, for use at the sick-bed and in the study of the Materia Medica Pura. (where in he incorporated all the relevant information from his earlier works) - 1846. (p. 510)

- Brief instructions for Non-physicians as to the Prevention and Cure of Cholera. - 1849.
- The two sides of Human Body and Relationship Homoeopathic Studies. -1853.
- The Homoeopathic Domestic physician in Brief Therapeutic Diagnosis An Attempt. - 1853.
- The Homoeopathic Treatment of Whooping Cough in its various forms. - 1860.
- The Aphorisms of Hippocrates, with Notes by a Homoeopath. - 1863.
- Attempt at a Homoeopathic Therapy of Intermittent and other fevers, especially for would be homoeopaths. - 1864.



## CONTRIBUTIONS

TPB	KENT	BBCR
<ul style="list-style-type: none"> <li>➤ Repertory of the Antipsoric Medicines (1832)</li> <li>➤ Summary View of the Chief Sphere of operation of the Antipsoric remedies - 1833</li> <li>➤ Repertory of Medicines which are not Antipsoric ( 1835 )</li> <li>➤ Attempt at showing the Relative Kinship of Hom. Med. (1836)</li> <li>➤ <b>TPB-1846</b></li> <li>➤ <b>The two sides of Human Body and Relationship Homoeopathic Studies. -1853</b></li> </ul>	<ul style="list-style-type: none"> <li>➤ <b>Kent became the professor of materia medica in 1883</b></li> <li>➤ <b>Kent's Repertory in 1897</b></li> <li>➤ <b>Kent's philosophy in 1900</b></li> <li>➤ <b>Kent's materia medica in 1905</b></li> </ul>	

# Kent used these references

- Lippe's Repertory
- Boenninghausen's Antipsoric Repertory
- Jahr's Repertory
- Biegler's Diary
- Minton's Diseases of Women

**BOENNINGHAUSEN'S REPERTORY OF ANTIPSORICS**

**ALLEN TOWN MANUAL** → SKELETON = HEADINGS

**GENTRY'S**



**LIPPE'S HANDBOOK OF CHARACTERISTICS** → PLAN & MODALITIES AT END

BOENN'S IDEA OF GENERALS & MODALITIES AT END

**MIND HEAD**

**LEE**

**KENT**

**URINARY ORGANS  
CHILL, FEVER, SWEAT  
EYES & VISION**

**3<sup>RD</sup> EDITION**

**LEE BLIND → KENT REARRANGED LEE'S → VERIFIED S/M ONLY**

MINTON POWELL, MARY IVES, ARTHUR ALLEN, F E GLADWIN

**I EDITION – 1897** → MORE PARTICULARISATION, DETAILED MODALITIES

# CONTRIBUTIONS

TPB	KENT	BBCR
<ul style="list-style-type: none"> <li>➤ TPB-1846</li> </ul>	<ul style="list-style-type: none"> <li>➤ Kent's Repertory - 1897</li> </ul>	<ul style="list-style-type: none"> <li>➤ Translations of Repertory of Antipsorics (systematic alphabetic repertory of HMM)- 1899-1900</li> <li>➤ BBCR – 1905</li> <li>➤ Synoptic key to Materia Medica – 1915</li> <li>➤ General Analysis – 1928</li> <li>➤ Card Rep. – Boger Boenn. Slips – 1928</li> <li>➤ Times of remedies and Moon phases – 1931</li> <li>➤ Additions to Kent's Repertory</li> <li>➤ Translation of TPB</li> </ul>

TPB

KENT

BBCR

- Mainly MM PURA
- Repertory of the Antipsoric Medicines (1832)
- Summary View of the Chief Sphere of operation of the Anti-psoric remedies – 1833
- An attempt at a Homoeopathic Therapy of Intermittent Fever. - 1833
- Repertory of Medicines which are not Antipsoric ( 1835 )
- Attempt at showing the Relative Kinship of Hom. Med. (1836)
  
- TPB-1846
- The two sides of Human Body and Relationship Homoeopathic Studies. -1853
  - By T F ALLEN - 1864

# SOURCE BOOKS

TPB	KENT	BBCR
<ul style="list-style-type: none"> <li>➤ TPB-1846</li> </ul>	<ul style="list-style-type: none"> <li>➤ Kent's Repertory in 1897</li> <li>➤ GENTRY</li> <li>➤ LIPPE</li> </ul>	<ul style="list-style-type: none"> <li>➤ BBCR - 1905</li> <li>❖ Antipsorics (Systematic Alphabetic Rep. of Hom. Remedies – 1832)</li> <li>➤ BTPB - 1846</li> <li>➤ Apsorics</li> <li>➤ Sides of the body – G. Miller &amp; Boenninghausen - 1853</li> <li>➤ Repertory part of intermittent fever</li> <li>➤ Whooping cough</li> <li>➤ Aphorisms of Hippocrates - 1863</li> </ul>

## INTRODUCTION & EDITIONS

TPB	KENT	BBCR
<p>❖ 1846</p> <p>❖ Introduction by H A ROBERTS &amp; ANNIE C WILSON</p> <p>❖ Preface by HAHNEMANN</p>	<p>❖ I edition : 1897 by Kent at Philadelphia                      –More particularization &amp; detailed modalities</p> <p>• II edition : 1910 by Kent at Lancaster</p> <p>❖ 1916 – Kent died</p> <p>• III edition : 1924 by Ethart at Chicago</p> <p>• IV edition: 1935 by Clara Kent at Chicago</p> <p>• V edition : 1945 edited &amp; revised by Clara Kent, dedicated to Clara Kent – at Chicago</p> <p>• VI edition : 1957 at Chicago</p> <p>• Indian edition : 1961</p> <p>❖ VII edition (Final General Repertory) : 1974 by P.Schimdt &amp; Diwan Harischand</p>	<p>❖ I edn -1905</p> <p>❖ II edn – 1937 (I Indian edition)</p> <p>❖ II Indian – 1952</p> <p>❖ III Indian - 1972</p> <p>❖ life history by T.L.BRADFORD (Boenninghausen)</p> <p>❖ In New editions – BOGER Life &amp; Work, BBCR Commentary, Introduction– TIWARI</p> <p>❖ Preface - BOGER</p> <p>❖ Foreword written by DR. HA ROBERTS in 1938</p>

- BTPB was published in the year .....
- Dr Kent was an ardent believer of ....., a Christian sector
- life history of Boenninghausen was written by ..... ( in BBCR)
- final general repertory is written by ..... & .....
- why Boenninghausen is named as Father of Repertory??



TPB

KENT

BBCR

❖ BOENNINGHAUSEN – FATHER OF  
HOMOEOPATHIC REPERTORY

- I General Repertory
- Evaluate remedies
- Principles of Analogy
- Concomitants
- Concordance

➤ RED THREAD in the cordage of the British Navy

➤ DOCTRINE OF GRAND  
GENERALISATION

➤ WARP of the FABRIC – LEADING S/M

- Primary symptoms: disease s/m
- Secondary symptoms : Concom
- Typical symptom : ds s/m
- Atypical symptoms : concom.
- Attendant circumstance

- Condition of **aggravation or amelioration** are not confined to a particular symptom, but they are like the **red thread in the cordage of the British Navy**, are applicable to all symptoms of the case
- So he raised them (i.e. Particulars) to the level of Generals – It is called the **DOCTRINE OF GRAND GENERALISATION**



## TPB IN SHORT....

- Principles of generalization on a grand scale
- Doctrine of analogy
- COMPLETE S/M - \$ 86
- Prime importance of **modalities – red thread in the cordage of British Navy**
- Doctrine of **concomitance** – higher evaluation of concomitants – before, during and after - **attendant circumstance; unreasonable attendants**
- Importance of physical generals.
- Concept of totality as a **GRAND SYMPTOM**
- **LEADING S/M – warp of the fabric**
- The mental symptoms and characteristic particulars are kept to the final place

# CONTRIBUTIONS

## TPB

## KENT

## BBCR

### ❖ BOENNINGHAUSEN – FATHER OF HOMOEOPATHIC REPERTORY

❑ I General Repertory

❑ Evaluate remedies

❑ Principles of Analogy

❑ Concomitants

❑ Concordance of remedies

➤ RED THREAD in the cordage of the British Navy

➤ DOCTRINE OF GRAND GENERALISATION

• Primary symptoms: disease s/m

• Secondary symptoms : Concom

• Typical symptom : ds s/m

Atypical symptoms : concom.

• Attendant circumstance

❖ VERIFIED SYMPTOM in any repertory has immense value

❖ MENTAL GENERAL is greater than a physical general symptom

❖ LOGICAL UTILITARIAN type

❖ DEDUCTIVE LOGIC

# FUNDAMENTAL CONCEPTS

TPB	KENT	BBCR
<ul style="list-style-type: none"> <li>❖ Doctrine of ANALOGY AND DOCTRINE OF GRAND GENERALISATION</li> <li>• raised local symptoms to a general level</li> <li>• sickness as expression of the whole man</li> <li>❖ Doctrine of CONCOMITANT</li> <li>• crucial in individualizing</li> <li>• Attendant circumstance</li> <li>❖ EVALUATION of Remedies</li> <li>❖ CONCORDANCES</li>   <li>❖ COMPLETE S/M - § 86</li> <li>❖ INDUCTIVE REASONING</li> </ul>	<ul style="list-style-type: none"> <li>❖ VERIFIED SYMPTOM has immense value</li> <li>❖ MENTAL GENERAL (Qualified) is greater than a physical general s/m                             <ul style="list-style-type: none"> <li>• § 211</li> </ul> </li> <li>❖ KENT used the term General symptom in the chapter “The Value of Symptoms” in Kent’s Lectures</li> <li>• HAHNEMANN - § 165 – General Symptom for Disease symptom</li> <li>❖ PQRS</li> <li>❖ LOGICAL UTILITARIAN</li> </ul>	<ul style="list-style-type: none"> <li>❖ Doctrine of COMPLETE SYMPTOM &amp; CONCOMITANTS</li> <li>❖ Doctrine OF PATHOLOGICAL GENERALS</li> <li>❖ Was in correspondence with L D Dhawale who incorporated his views about Path. Generals</li> <li>❖ Doctrine of CAUSATION AND TIME</li> <li>❖ CLINICAL RUBRICS</li> <li>❖ EVALUATION of remedies</li> <li>❖ FEVER TOTALITY</li> <li>❖ CONCORDANCES</li> </ul>

# GRADATION OF REMEDIES - EVALUATION of Remedies

TPB	KENT	BBCR
<p>❖5</p> <p>➤ OLD EDITIONS</p> <ul style="list-style-type: none"> <li>• Spaced italics <i>P u l s</i></li> <li>• Simple italics <i>Puls</i></li> <li>• Spaced Roman P u l s</li> <li>• Simple Roman Puls</li> <li>• Simple Roman in parenthesis (Puls)</li> </ul> <p>➤ ALLEN'S EDITION</p> <ul style="list-style-type: none"> <li>• CAPITAL</li> <li>• <b>Bold</b></li> <li>• <i>Italics</i></li> <li>• Roman</li> <li>• (Roman) - doubtful remedies.</li> </ul>	<p>❖3</p> <ul style="list-style-type: none"> <li>• <b>Bold</b></li> <li>• <i>Italics</i></li> <li>• Roman</li> </ul>	<p>❖5</p> <ul style="list-style-type: none"> <li>• CAPITAL</li> <li>• <b>Bold</b></li> <li>• <i>Italics</i></li> <li>• Roman</li> <li>• (Roman)</li> <li>• In Tiwari – no (Roman)</li> </ul> <p>❖ 2 – MM part</p> <ul style="list-style-type: none"> <li>• <i>Italics</i></li> <li>• Roman</li> <li>• <b>Roman (can also be seen)</b></li> <li>• (allied, complementary, antidote)</li> </ul>

TOTALITY

TPB	KENT	BBCR
<p>❖ <b>QUIS</b> - Personality, the individuality</p> <p>❖ <b>QUID</b> - Disease, its nature and peculiarity</p> <p>❖ <b>UBI</b> - Seat of the disease</p> <p>❖ <b>QUIBUS AUXILIS</b> - Auxillary/ Accompanying symptoms</p> <p>❖ <b>CUR</b> - Cause of disease</p> <p>❖ <b>QUOMODO</b> - Modification, agg. and amel</p> <p>❖ <b>QUANDO</b> - Time</p>	<p>❖ <b>MENTAL GENERAL</b></p> <ul style="list-style-type: none"> <li>• Will</li> <li>• Understanding and intellect</li> <li>• Memory</li> </ul> <p>❖ <b>PHYSICAL GENERALS</b></p> <p>❖ <b>CHARACTERISTIC PARTICULARS</b></p> <p>❖ <b>PQRS</b></p>	<p>❖ <b>QUIS</b> - Personality, the individuality and Temperament</p> <p>❖ <b>QUID</b> - Disease, its nature and peculiarity</p> <p>❖ <b>UBI</b> - Seat of the disease</p> <p>❖ <b>QUIBUS AUXILIS</b> - Auxillary/ Accompanying symptoms</p> <p>❖ <b>CUR</b> - Cause of disease</p> <p>❖ <b>QUOMODO</b> - Modification, agg. and amel</p> <p>❖ <b>QUANDO</b> - Time</p>

TPB	KENT	BBCR
<ul style="list-style-type: none"> <li>❖ <b>Part I-Introduction</b></li> <li>• Preface – HA ROBERTS</li> <li>• Life History of Boenninghausen</li> <li>○ Repertory Uses</li> <li>○ The art of physician in taking the case</li> <li>○ The philosophic Background</li> <li>○ Construction of the Repertory               <ul style="list-style-type: none"> <li>○ Introduction to different Chapters</li> </ul> </li> <li>○ Limitations of Repertory</li> <li>○ Use of the Analysis</li> <li>○ Preface to the New American Edition – T F ALLEN</li> <li>○ Boenninghausen’s Original Preface</li> <li>❖ <b>Part II - Repertory Proper</b></li> <li>❖ Index</li> </ul>		<ul style="list-style-type: none"> <li>❖ Life of Boenn.</li> <li>❖ Preface- 2 parts</li> <li>❖ Introductory essay about source books</li> <li>❖ Notes by Dr. Boger               <ul style="list-style-type: none"> <li>• On the use of Repertories</li> <li>• Choosing the Remedy</li> <li>• Repetition of Dose</li> <li>• Homoeopathic prognosis</li> </ul> </li> <li>❖ Index of contents</li> <li>❖ Index of medicines in MM</li> <li>❖ Index of chapters in Repertory part</li> </ul>



# BBCR

- Repetition of Dose

- A **single dose** is necessary
- Continued, thoughtless & injudicious use of same medicine will do more harm than good
- Primary & secondary action -> WAIT
- In c/c disease - must be left undisturbed if we wish to attain success
- Ds like small pox, scarlet fever – every repetition of higher dynamizations only tend to retard cure

- After administration of carefully selected remedy – after a lapse of 8 days in c/c ds (few hrs in a/c ds) – look for following events
  - State of illness changed
    - Condn > - WAIT
      - Standstill – 2<sup>nd</sup>, 3<sup>rd</sup> or 4<sup>th</sup> dose of same remedy
    - Condn <
      - Hom. < - WAIT
      - Violent < - ANTIDOTE
      - Antidote not available – smaller doses of same medicine
    - Disease alters its s/m complex
      - Rx change
  - It remains same

- It remains same
  - Obstacles to recovery
    - Diet
  - Want of receptivity
    - Rpt in smaller doses
- No second dose must be given as long as relief progresses even though slightly
- > is apt to show in the mental state first
  - Boger's Concept – MIND for final differentiation

# Homoeopathic prognosis

- GRAVE prognosis
  - If the reaction is absent
  - Foreign s/m appear

# Signs used in BBCR

- Used very rarely
- \* - Paragraph from TPB
  - Head Internal – in General \*
- + - New paragraph
- ‘ – single abbreviations – new pathogenetic s/m
  - Head Internal – Aggr – smoking – Ign.

# Duration of action

- After MM part
- From **notes of HERING** confirmed by Boenninghausen
  - Short action – acon, coffee
  - Brief action
  - Medium
  - Long acting – ars, lyc
  - Very long & deep acting – calc.c, sulph

# Important Hints

- 12 observations of J T KENT

TPB	KENT	BBCR
	<ul style="list-style-type: none"> <li>❖ <b>Prefix part (not in the original work)</b></li> <li>• Use of the repertory by <a href="#">Kent</a></li> <li>• How to study the repertory by <a href="#">Kent</a></li> <li>• How to use the repertory by <a href="#">Kent</a></li> <li>• Repertorising by <a href="#">M.L.Tyler &amp; John Weir</a></li> <li>• Hot &amp; Cold remedies by <a href="#">Gibson Miller</a></li> <li>• Few cases by <a href="#">M.L.Tyler &amp; John weir</a></li> <li>❖ <b>Repertory part</b></li> <li>• Preface part</li> <li>• Different editions</li> <li>• List of rem. with abbreviations</li> <li>• Text proper</li> <li>• Word index</li> <li>❖ <b>Suffix part (not in the original work)</b></li> <li>• Sides of the body &amp; drug affinities by <a href="#">Boenninghausen</a></li> <li>• Reln of rem. with duration of action by <a href="#">Gibson Miller</a></li> </ul>	<ul style="list-style-type: none"> <li>❖ Life of Boenn.</li> <li>❖ Preface- 2 parts</li> <li>❖ Introductory essay about source books</li> <li>❖ Notes by Dr. Boger</li> <li>• On the use of Repertories</li> <li>• Choosing the Remedy</li> <li>• Repetition of Dose</li> <li>• Homoeopathic prognosis</li> <li>❖ Index of contents</li> <li>❖ Index of medicines in MM</li> <li>❖ Index of chapters in Repertory part</li> </ul>



NUMBER OF DRUGS

TPB

❖ T F ALLEN

$$126 - 4 + 220 = 342$$

• Angustura

• Magnetis Polus Arcticus

• Magnetis Polus Australius

• Magnetis Poli Umbo

❖ H A ROBERT

$$342 + 20 = 362$$

❖ Relationship chapter

❖ T F ALLEN

$$120 + 21 = 141$$

KENT

❖ 648

❖ 6 Synonyms

Hippozaenium – Glanderin

Illicium anisatum – Anisum stellatum

Kaolin – Alumina silicate

Lappa arctium – Lappa major

Nux jugulans – Jugulans regia

Pothos foetida – Ictodes foetida

❖ 2 not in index

Nux-j – Talk, indisposed to

Kali-ox - Insanity

BBCR

❖ 464 (Medicinal index - Tiwari)

❖ But originally this book contains 478 remedies

❖ 140 medicines in MM part

❖ Relationship/Concordance chapter

❖ 125

# CHANGES IN T. F. ALLEN EDITION

☞ Added 220 medicines.

- $126 - 4 + 220 = 342$

- H A R –  $342 + 20 = 362$

☞ Changed the typography

- CAPITALS / Antique / *Italic* / Roman / Roman in Parentheses

☞ Rank of the medicines are elevated.

☞ Combined two volumes in one (Boenninghausen's Therapeutic Pocket Book and his repertory Sides of the Body)

- ☞ 21 new medicines were added to the relationship chapter.
- ☞ Changed the title 'Concordance' to 'Relationship of Remedies'
- ☞ Added many of the eye symptoms in the section eye
- ☞ Removed the headings of the sub-sections
  - (i) Agg. according to time, (ii) Agg. according to situation and circumstances (iii) Amel. By position and circumstances
  - 2 sections - Agg. and Amel. under alternation of state of Health

# MACROCONSTRUCTION

TPB	KENT	BBCR
<ul style="list-style-type: none"> <li>❖ Arrangement of rubrics</li> <li>○ No definite arrangement</li> </ul>	<ul style="list-style-type: none"> <li>❖ Mind to Generalities</li> <li>❖ 37/ 33 chapters</li> <li>❖ Hahnemann's schema</li> <li>❖ Arrangement of rubrics                             <ul style="list-style-type: none"> <li>○ Side</li> <li>○ Time</li> <li>○ Modality</li> <li>○ Extension</li> </ul> </li> <li>○ <b>S T M E - JULIA MINERVA GREEN</b> <ul style="list-style-type: none"> <li>• for subjective sensations like <b>pain, numbness</b> etc.</li> <li>• Not for <b>discharges, eruption, discoloration</b></li> <li>• <b>Skin, Fever, Perspiration, Sleep</b> etc do not follow this arrangement</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>❖ Rep. With 58 chapters                             <ul style="list-style-type: none"> <li>❖ Index - 53</li> </ul> </li> <li>❖ Arrangement of rubrics                             <ul style="list-style-type: none"> <li>○ Location</li> <li>○ Sensation</li> <li>○ Modality</li> <li>○ Concomitant</li> </ul> </li> <li>❖ <b>PLAN &amp; CONSTRUCTION</b> <ul style="list-style-type: none"> <li>○ Rep of Antipsorics</li> </ul> </li> </ul>

SYSTEM	KENT	TPB	BOGER
CNS	<input type="checkbox"/> Mind <input type="checkbox"/> Vertigo  <input type="checkbox"/> Head	<input type="checkbox"/> Mind <input type="checkbox"/> Intellect  <input type="checkbox"/> Internal Head <input type="checkbox"/> External Head <input type="checkbox"/> Internal Head sides <input type="checkbox"/> External Head sides	<input type="checkbox"/> Mind <input type="checkbox"/> Sensorium <input type="checkbox"/> Vertigo  <input type="checkbox"/> Head Internal <input type="checkbox"/> Head External
Special Senses & Functions	<input type="checkbox"/> EYE <input type="checkbox"/> VISION	<input type="checkbox"/> EYE <input type="checkbox"/> VISION	<input type="checkbox"/> EYES <ul style="list-style-type: none"> <li>• Eyebrows</li> <li>• Orbits</li> <li>• Eyelids</li> <li>• Canthi</li> <li>• Vision</li> </ul>

SYSTEM	KENT	TPB	BOGER
Special Senses & Functions	<input type="checkbox"/> EAR <input type="checkbox"/> HEARING  <input type="checkbox"/> NOSE	<input type="checkbox"/> EAR <input type="checkbox"/> HEARING  <input type="checkbox"/> NOSE <input type="checkbox"/> SMELL	<input type="checkbox"/> EAR <ul style="list-style-type: none"> <li>•Hearing</li> </ul> <input type="checkbox"/> NOSE <ul style="list-style-type: none"> <li>•Smell</li> </ul> <input type="checkbox"/> CORYZA
Face	<input type="checkbox"/> FACE	<input type="checkbox"/> FACE <input type="checkbox"/> FACE – LOC. OF SENSATIONS	<input type="checkbox"/> FACE <ul style="list-style-type: none"> <li>•Lips</li> <li>•Lowerjaw &amp; max. jt</li> <li>•Chin</li> </ul>

	KENT	TPB	BOGER
GIT	<input type="checkbox"/> MOUTH <input type="checkbox"/> TEETH <input type="checkbox"/> THROAT <input type="checkbox"/> <u>EXTERNAL THROAT</u> <input type="checkbox"/> STOMACH     <input type="checkbox"/> ABDOMEN <input type="checkbox"/> RECTUM <input type="checkbox"/> STOOL	<input type="checkbox"/> TEETH <input type="checkbox"/> MOUTH <input type="checkbox"/> THROAT <input type="checkbox"/> MOUTH & FAUCES   <input type="checkbox"/> HUNGER & THIRST  <input type="checkbox"/> TASTE <input type="checkbox"/> ERUCTATION (Waterbrash & Heartburn Hiccough – as Rubrics) <input type="checkbox"/> NAUSEA & VOM.	<input type="checkbox"/> TEETH <ul style="list-style-type: none"> <li>•Gums</li> </ul> <input type="checkbox"/> MOUTH <ul style="list-style-type: none"> <li>•Palate</li> <li>•Throat (&amp;gullet)</li> <li>•Saliva</li> <li>•Tongue</li> </ul> <input type="checkbox"/> APPETITE <input type="checkbox"/> THIRST <input type="checkbox"/> TASTE <input type="checkbox"/> ERUCTATION <input type="checkbox"/> WATERBRASH & HEARTBURN <input type="checkbox"/> HICCOUGH <input type="checkbox"/> NAUSEA & VOM. <input type="checkbox"/> STOMACH <input type="checkbox"/> EPIGASTRIUM

	KENT	TPB	BOGER
GIT	<input type="checkbox"/> ABDOMEN          <input type="checkbox"/> RECTUM <input type="checkbox"/> STOOL	<input type="checkbox"/> INTERNAL ABDOMEN <input type="checkbox"/> EXTERNAL ABDOMEN <input type="checkbox"/> ABDOMEN SIDES <input type="checkbox"/> HYPOCHONDRIA SIDES <input type="checkbox"/> ABD. RINGS SIDES <input type="checkbox"/> FLATULENCE  <input type="checkbox"/> STOOL	<input type="checkbox"/> HYPOCHONDRIA <input type="checkbox"/> ABDOMEN – Int. <input type="checkbox"/> EXTERNAL ABDOMEN <input type="checkbox"/> INGUINAL & PUBIC REGION <input type="checkbox"/> FLATULENCE  <input type="checkbox"/> STOOL <input type="checkbox"/> ANUS & RECTUM <input type="checkbox"/> PERINEUM



SYSTEM	KENT	TPB	BOGER
Urinary	<input type="checkbox"/> Bladder <input type="checkbox"/> Kidneys <input type="checkbox"/> Prostate <input type="checkbox"/> Urethra <input type="checkbox"/> Urine	<input type="checkbox"/> Urinary organs <input type="checkbox"/> Urine <input type="checkbox"/> Micturition	<input type="checkbox"/> Prostate gland <input type="checkbox"/> Urine <ul style="list-style-type: none"> <li>• Sediment</li> <li>• Micturition</li> </ul> <input type="checkbox"/> Urinary organs <ul style="list-style-type: none"> <li>• Kidneys</li> <li>• Ureters</li> <li>• Bladder</li> <li>• Urethra</li> <li>• Meatus</li> </ul>

SYSTEM	KENT	TPB	BOGER
Genitalia	<input type="checkbox"/> Male genitalia  <input type="checkbox"/> Female genitalia	<input type="checkbox"/> Sexual organs  <input type="checkbox"/> Menstruation <input type="checkbox"/> Leucorrhoea	<input type="checkbox"/> Genitalia <ul style="list-style-type: none"><li>• Male organs<ul style="list-style-type: none"><li>• Penis</li><li>• Glans</li><li>• Prepuce</li><li>• Spermatic cord</li><li>• Testes</li><li>• Scrotum</li></ul></li><li>• Female organs</li></ul> <input type="checkbox"/> Sexual impulse <input type="checkbox"/> Menstruation <ul style="list-style-type: none"><li>• Leucorrhoea</li></ul>

	KENT	TPB	BOGER
Resp	<input type="checkbox"/> Larynx & Trachea <input type="checkbox"/> Respiration <input type="checkbox"/> Cough <input type="checkbox"/> Expectoration	<input type="checkbox"/> Respiration <input type="checkbox"/> Cough  <input type="checkbox"/> Air passages  <input type="checkbox"/> Ext. throat & neck <input type="checkbox"/> Neck & nape of neck	<input type="checkbox"/> Respiration <ul style="list-style-type: none"> <li>• Impeded by</li> </ul> <input type="checkbox"/> Cough <ul style="list-style-type: none"> <li>• Expectoration</li> <li>• Expect. taste of</li> <li>• Expect. odor of</li> </ul> <input type="checkbox"/> Larynx & trachea <input type="checkbox"/> Voice & speech  <input type="checkbox"/> Neck & Ext. throat <ul style="list-style-type: none"> <li>• Nape</li> </ul>

	KENT	TPB	BOGER
	<p data-bbox="193 92 386 142">☐ Chest</p>               <p data-bbox="193 628 367 678">☐ Back</p>	<p data-bbox="676 92 869 142">☐ Chest</p>               <p data-bbox="676 628 850 678">☐ Back</p>	<p data-bbox="1091 92 1284 142">☐ Chest</p> <ul data-bbox="1188 178 1661 606" style="list-style-type: none"><li>• Inner chest</li><li>• External chest</li><li>• Axilla</li><li>• Mammae</li><li>• Nipples</li><li>• Heart &amp; region of</li></ul> <p data-bbox="1091 628 1265 678">☐ Back</p> <ul data-bbox="1188 706 1903 1142" style="list-style-type: none"><li>• Scapular region</li><li>• Back proper – dorsal</li><li>• Lumbar region – small of back</li><li>• Sacrum &amp; coccyx</li><li>• Spinal column &amp; vertebrae</li></ul>

**KENT**

Extremities

**TPB**

Upper  
Extremities  
 Lower  
Extremities

**BOGER**

Upper Extremities  
 Lower Extremities

**KENT**

37. Generalities  
(last chapter)

36. Skin

**TPB**

S & C –  
General

Glands

Bones

Skin

Aggravation

Amelioration

**BOGER**

S & C – GENERAL

Glands

Bones

Skin & Exterior  
body

Conditions in  
General – Time

Conditions of < & >  
In general

	KENT	TPB	BOGER
sleep & dreams	<input type="checkbox"/> Sleep	<input type="checkbox"/> Sleep  <input type="checkbox"/> Positions in sleep  <input type="checkbox"/> Dreams	<input type="checkbox"/> Sleep <ul style="list-style-type: none"> <li>○ Yawning</li> <li>○ Falling asleep</li> <li>○ Sleepiness</li> <li>○ Character of sleep</li> <li>○ During</li> <li>• Positions d. sleep</li> <li>• Waking</li> <li>○ Waking with</li> <li>○ Sleeplessness</li> </ul> <input type="checkbox"/> Dreams

	KENT	TPB	BOGER
FEVER	<input type="checkbox"/> Chill <input type="checkbox"/> Fever <input type="checkbox"/> Perspiration	<p><b>ORIGINAL</b></p> <ol style="list-style-type: none"> <li>1. Circulation of blood</li> <li>2. Cold stage</li> <li>3. Coldness</li> <li>4. Heat</li> <li>5. Perspiration</li> <li>6. Compound fever</li> <li>7. Concomitant complaints</li> </ol> <p><b>ALLEN</b></p> <ol style="list-style-type: none"> <li>1. (Blood &amp;) Circulation</li> <li>2. Chilliness</li> <li>3. Heat</li> <li>4. Coldness in general</li> <li>5. Sweat</li> <li>6. Compound fever</li> <li>7. Concomitant s/m</li> <li>8. Febrile s/m - sides</li> </ol>	<ol style="list-style-type: none"> <li>1. FEVER – PATHOLOGICAL TYPES</li> <li>2. BLOOD</li> <li>3. CIRCULATION             <ol style="list-style-type: none"> <li>1. CONGESTION</li> <li>2. PALPITATION</li> <li>3. HEARTBEAT</li> <li>4. PULSE</li> </ol> </li> <li>4. FEVER (CHILL)</li> <li>5. HEAT &amp; FEVER IN GENERAL</li> <li>6. SWEAT</li> <li>7. COMPOUND FEVER</li> </ol>



# MACROCONSTRUCTION

TPB	KENT	BBCR
<ul style="list-style-type: none"> <li>❖ Arrangement of rubrics</li> <li>○ No definite arrangement</li> </ul>	<ul style="list-style-type: none"> <li>❖ Mind to Generalities</li> <li>❖ 37/ 33 chapters</li> <li>❖ Hahnemann's schema</li> <li>❖ Arrangement of rubrics                             <ul style="list-style-type: none"> <li>○ Side</li> <li>○ Time</li> <li>○ Modality</li> <li>○ Extension</li> </ul> </li> <li>○ <b>S T M E - JULIA MINERVA GREEN</b> <ul style="list-style-type: none"> <li>• for subjective sensations like <b>pain, numbness</b> etc.</li> <li>• Not for <b>discharges, eruption, discoloration</b></li> <li>• <b>Skin, Fever, Perspiration, Sleep</b> etc do not follow this arrangement</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>❖ Rep. With 58 chapters                             <ul style="list-style-type: none"> <li>❖ Index - 53</li> </ul> </li> <li>❖ Arrangement of rubrics                             <ul style="list-style-type: none"> <li>○ Location</li> <li>○ Sensation</li> <li>○ Modality</li> <li>○ Concomitant</li> </ul> </li> <li>❖ <b>PLAN &amp; CONSTRUCTION</b> <ul style="list-style-type: none"> <li>○ Rep of Antipsorics</li> </ul> </li> </ul>

# ARRANGEMENT

TPB

KENT

BBCR

- No subchapters
- Only rubrics

❖ Time – clock timings

- ❖ **CHAPTERS – DARK CAPITALS – at centre of page**
- ❖ **SUBCHAPTERS – ORDINARY CAPITALS**
- ❖ Location
  - In general / organ remedies
  - Sub location
  - Side (abbr.)
  - Extending to
- ❖ Sensation
- ❖ Time
  - ❖ no specific hrs
  - ❖ Daily, weekly, periodic
- ❖ <
  - ❖ also A/F, concomitants
  - ❖ Useful in a/c diseases
- ❖ >
- ❖ Concomitants
- ❖ Cross reference

# MERITS

TPB

KENT

BBCR

- ❖ COMPLETE S/M in each chapter
- ❖ PATHOLOGICAL RUBRIC
- ❖ FEVER section – Unique contribution
- ❖ INFANT affections( S&C)
- ❖ CONCOMITANT section – elaborate
- ❖ CROSS REFERENCE – as sub section
- ❖ NEW RUBRICS in Mind – not in Kent's repertory
- ❖ Many DIAGNOSTIC & CLINICAL RUBRICS

## DEMERITS

TPB

KENT

BBCR

- ❖ CONCORDANCE section – 125 remedies
- ❖ MIND – CONCOMITANTS not well represented & remedies less
- ❖ 53 chapters do not follow same arrangement
- ❖ SIMILAR RUBRICS creates confusion
  - ❖ CONFUSED – MIND
  - ❖ CONFUSION – SENSORIUM
- ❖ Some information in SYNOPTIC KEY is not available
  - ❖ Dreams of snakes – Lach
- ❖ Nosodes not represented well
- ❖ CONCOMITANTS – 22 chapters
- ❖ CROSS REFERENCE – 18 chapters
- ❖ SENSORIUM, VERTIGO – Not alphabetical

# DEMERITS

TPB

KENT

BBCR

- ❖ No GENERAL PAIN rubric
- ❖ MISSING MEDICINES
  - ❖ MISCHIEVIOUSNESS – only ARS is given
  - ❖ SENTIMENTAL – Nat.m is missing
  - ❖ DREAMS OF SNAKES - LACH
- ❖ SINGLE REMEDY RUBRICS many
  - ❖ Cold tendency to take – Benz.ac.
  - ❖ Cretinism – Calc.p
  - ❖ FEROCITY – Op.

# WORKING METHOD

TPB

KENT

BBCR

•LSMC

❖ Analysis & Evaluation – In SYNOPTIC KEY

❖ MMSOP

❖ MODALITY – CAUSATIVE, <, >

❖ MIND

❖ SENSATION

❖ OBJECTIVE ASPECT

❖ PARTS AFFECTED