



REPERTORY A COMPARITIVE STUDY GUT

Dr SHALINI G UNNITHAN MD(Hom.)

Prof. & HOD

Dept of Repertory
SVRHMC, Nemom

SYSTEM	KENT	TPB	BOGER
Urinary	<input type="checkbox"/> Bladder <input type="checkbox"/> Kidneys <input type="checkbox"/> Prostate <input type="checkbox"/> Urethra <input type="checkbox"/> Urine	<input type="checkbox"/> Urinary organs <input type="checkbox"/> Urine <input type="checkbox"/> Micturition	<input type="checkbox"/> Prostate gland <input type="checkbox"/> Urine <ul style="list-style-type: none"> • Sediment • Micturition <input type="checkbox"/> Urinary organs <ul style="list-style-type: none"> • Kidneys • Ureters • Bladder • Urethra • Meatus

KENT - URINARY ORGANS - 5

- 37 & 33 CHAPTERS
- BLADDER
- KIDNEY
- PROSTATE GLAND
- URETHRA
- URINE

- BLADDER
- RETENTION, URINATION, URGING, TENESMUS
- URINATION - Involuntary (Incontinence), Dribbling, Dysuria, Retarded, Unsatisfactory
- KIDNEYS
- URETERS, KIDNEYS, SUPPRESSION OF URINE
- ADDISON'S DISEASE
- PROSTATE GLAND
- SMALLEST CHAPTER PAGE WISE – 2 PAGES; 21 RUBRICS
- No blank rubrics

- URETHRA
- MALE AND FEMALE URETHRA, fossa navicularis, meatus
- URINE
- COLOUR, CASTS , ODOR, QUANTITY, SEDIMENTS – GRAVEL, SUGAR(DM)
 - TPB – URINE – GLYCOSURIA
 - BBCR – URINE – SACCHARINE

CLINICAL RUBRICS

- **BLADDER**
 - Calculi
 - Polypi
 - Tumor
 - **HEMORRHOIDS** of
- **KIDNEY**
 - Addison's disease
- **PROSTATE**
 - Enlargement (BHP)
- **URETHRA**
 - Chordee
 - Stricture

- Bladder **stone**
 - Bladder, Calculi.
- Gall **stone** colic
 - Abdomen, Pain, Liver, colic gall stone
- Renal **stone**
 - Urine, Sediment, renal calculi, sand, gravel
- Complaints of **stone** cutters
 - Gen, Stone cutters for
 - Chest, Phthisis, stone cutters

- Aching pain deep in **pelvis & bladder**, morning & afternoon after coition
 - **Prostate**, Pain aching
- Constant **desire to urinate** with pain in **liver, chest, kidney & bladder**
 - **Bladder**, **Urging** constant
 - *Ferr.*
- Child cries during urination
 - Bladder, Urging
 - Bladder, Urination, dysuria
- Feel as if urine has escaped, if the desire is not attended
 - Bladder, Urging

- **Distended** bladder with no desire to urinate
 - Bladder, **Fullness**
- Feeling as if urine remains in
 - **Urethra** Sensation
 - **Bladder**, Urination, unsatisfactory
- Involuntary **urination** with enlarged **prostate**
 - Bladder , **Urination** invol, old people.
- Urine emitted drop by drop after long pressing
 - Bladder, Retarded, Press long urine passes guttatin
 - BLADDER - URINATION - dribbling (by drops)], **perpendicularly, urine drops out: Hep**

- Honeymoon cystitis
 - Bladder, URINATION dysuria
 - BLADDER - URGING to urinate (morbid desire)] - **married women, newly: Staph**
 - BLADDER - PAIN – **lithotomy** after – **Staph**
- BLADDER - URGING to urinate – frequent- desire increases as the **quantity of urine diminishes: Equis-h.**
- BLADDER - URINATION, - involuntary - night (incontinence in bed)] tangible cause **except habit**, when there is no: **Equis-h.**
- Has to **wait** a long time urine to start
 - Bladder, Urination, **retarded**

- Must urinate 5-6 times to empty bladder / Obligated to urinate several times before the bladder is empty
 - Bladder, Urination, incomplete
- Nocturnal enuresis
 - Bladder, Urination, involuntary, night
 - BLADDER - URINATION, - involuntary - night (incontinence in bed)] .. **difficult to waken the child: *Bell. Kreos.***
- No desire to urinate after labor
 - Bladder **Paralysis**
 - Bladder, Retention, confinement..

- Unable to pass urine in presence of **strangers**
 - **Mind**, Company
 - BLADDER - RETENTION of urine – unable to pass urine in the **presence of company: Nat-m**
- Urine split on passing
 - Bladder, Urination, forked stream
- When he is busily occupied, must run and pass a little urine
 - Bladder, Urination, frequent busily
- Urine escape while coughing
 - Bladder, Urination, involuntary..
- Urine flows better on standing
 - Bladder, Urination, interrupted
 - Bladder, Urination retarded, standing

- Addison's disease only in 2 places
 - KIDNEY-URINARY ORGANS - ADDISON'S disease
 - GENERALITIES - CONVULSIONS - addison's disease,in
- Anuria
 - KIDNEY- SUPPRESSION of urine
 - Kidney, Suppression of urine - suppressed gonorrhoea, from: **Camph. Canth**
- a/c Glomerulonephritis
 - Kidney, Inflammation, a/c paranchyma..
- Pylonephritis
 - Kidney, Inflammation, suppurative
- Kidney, Inflammation, toxaemic: *Crot-h.*
 - With HTN, oedema, Albuminuria

- B H P
 - Prostate, Enlargement.
- **Sabal serulata** only in 2 places
 - Prostate
 - Back, Pain coition after
 - **CULEX - VERTIGO - BLOWING** the nose
- **Sensation as if an abscess** in prostrate
 - Prostate gland, **Festering** sensation.- cycl.
- Prostate gland - EMISSION prostatic fluid - easily discharged, so that even an emission of flatus causes: mag-c.

- **Gonorrhoeal discharge**
 - Urethra, Discharge, gonorrhoeal
- **Gleet**
 - Urethra, Discharge , gleety
- Ulceration – **chancres**: *Arg-n. Nit-ac*
- **Gnawing when not urinating**
 - **Urethra**, Gnawing – bov.
- Jerking after urination
 - **Urethra**, Jerking – *lyc.*
- Painful erection with curvature of penis
 - Urethra, **CHORDEE**

- Air passes from female urethra
 - Urethra. Air - sars.
 - PHYSOMETRA
 - FEMALE GENITALIA - FLATUS from vagina
- Sensation of urine still flowing
 - Urethra, Urine still flowing
- Urine stops at **fossa navicularis**
 - **Urethra**, urine stops
- Urethra, Crawling - fossa navicularis: **Petros.**

- Cuticle forming on the surface of urine
 - Urine, Cuticle
- Diabetes mellitus
 - Urine, Sugar
 - Urine, Specific gravity increased
- Diabetes insipidus
 - Urine, Specific gravity decreased

- Eclampsia/pre eclampsia
 - Generalities, Convulsion, pregnancy during
 - Urine, Albuminous, pregnancy during
- Filmly
 - Eye, Filmly
 - Urine, Sediment filmly
- Haematuria
 - Urine. Bloody
- R B C in urine
 - Urine, Cast, blood - *Plb. Ter.*
 - Epithelial, fibrous, granular, hyaline

- Oxalate crystals in urine
 - Urine, **Sediment**, oxalate
- Phosphate crystals in urine
 - Urine, Sediment, phosphate
- Pus in urine
 - Urine, Sediment, purulent
- Albumin in urine
 - Urine, Albuminous
 - Sediment, albuminous.
 - a/c parenchymatous nephritis
- Renal stone
 - Urine, Sediment, renal calculi, sand, gravel

- Urine – Milky - hydrocephalus, in, very little but frequent discharges of milky urine with unconsciousness and delirium: **Apis**

TPB

- Urinary Organs – 3 chapters

- **URINARY ORGANS**

- Kidney
Bladder
Urethra
Prostate

- **URINE**

- **GLYCOSURIA = DM**
 - BCCR – URINE – SACCHARINE
 - KENT – URINE - SUGAR
- Sediment in general = urinary calculi

- **MICTURITION**

- Tenesmus of bladder
 - Dysuria
 - Involuntary
 - Retention of urine
 - Concomitant
 - Troubles before Micturition, During Micturition, After Micturition

BBCR - URINARY ORGANS

– PROSTATE GLAND

- Smallest chapter
- Enlarged, swelled = BHP
- indurated

– URINE

- SACCHARINE
- ❖ SEDIMENTS
- ❖ MICTURITION

– URINARY ORGANS

❖ KIDNEYS

- CALCULI, colic, hydronephrosis, Inflamm., Gravel stone, Suppuration of (Pyelitis)

❖ URETERS

- Smallest subsection

❖ BLADDER

- Stone, Suppuration

❖ URETHRA

- Discharge gonorrhoeal

❖ MEATUS

BBCR - URINE

- Characters of urine
 - Acetonuria, Saccharine(DM), Scanty, Suppressed
- ❖ **SEDIMENTS**
 - Color, odor, nature of sediments
 - Cylindrical casts, flocculent, sandy, urates of
- ❖ **MICTURITION**
 - Urging, Ineffectual, drop by drop(strangury)
 - Night in bed (bed wetting)
 - TPB – MICTURITION
 - KENT - BLADDER
 - Profuse polyuria, retention (ischuria), stream double split
 - Urination invol.
- Concomitants -Before, at beginning of, during, at close of, after

SYSTEM	KENT	TPB	BOGER
Genitalia	<input type="checkbox"/> Male genitalia <input type="checkbox"/> Female genitalia	<input type="checkbox"/> Sexual organs <input type="checkbox"/> Menstruation <input type="checkbox"/> Leucorrhoea	<input type="checkbox"/> Genitalia <ul style="list-style-type: none">• Male organs• Penis• Glans• Prepuce• Spermatic cord• Testes• Scrotum• Female organs <input type="checkbox"/> Sexual impulse <input type="checkbox"/> Menstruation <ul style="list-style-type: none">• Leucorrhoea

KENT - GENITALIA –MALE

- Penis, Scrotum, Testes, Spermatic Cord, Prepuce, Glans Penis, Fraenum, Root Of Penis
- Coition Aversion To, Masturbation, Sexual Passion, Weakness, Impotency
Smegma

KENT - GENITALIA - FEMALE

- All Female Organs
- Abortion, Menses, Metrorrhagia, Menorrhagia, Menopause, Coition Aversion To, Desire, Masturbation, Leucorrhoea, Lochia Sterility
- Pain – Bearing Down, Labour Pain, Labour Like

- **Child handles genitals during spasm**
 - Mind, Gestures
 - Genitalia Male, Handles.
- **BLADDER - URGING to urinate (morbid desire) - painful children grasp the genitals and cry out: Acon. merc.**
- **Balanitis**
 - Genit Male, Inflammation, penis glans.
- **Pus in hydrocele**
 - Genit.Male, Emphyocele
- **Paraphimosis**
 - Genit.Male, Phimosis, paraphimosis
 - Genit.Male, Retraction, prepuce

- GM- Condylomata – Penis- butternut-shaped hard growth on the dorsum of the penis: Sabina
- GM- Condylomata – Penis - fan shaped: **Cinnb. Thuj.**
- Elephantiasis of scrotum
- Hydrocele
- Empyocele
- Varicocele
- Haematocele
- Sarcocoele
- Belanorrhoea glands

- **Impotency**
 - Genit. Male, Erektion, wanting

- **Sterility**
 - Genit. Female, Sterility

- Orchitis
 - Genit.Male, Inflammation , testes
- Orchitis due to mumps
 - Genit.Male, Swelling, testes, mumps from
 - FACE - INFLAMMATION, - parotid gland - metastasis to – testes
- Premature ejaculation
 - Genit.Male, Seminal discharge, quick too
- Nightly pollution
 - Genit.Male, Seminal discharge

- Crab lice
 - Genit Male, Crab lice.
- Lice
 - Head, Lice
- Lousiness
 - Skin, Lousiness
- Sees lice at night during sleep
 - Sleep, Dreams vermins

- FEMALE GENITALIA – ABORTION
- FEMALE GENITALIA, CONSCIOUS of the uterus
 - *Helon. Murx*
- FEMALE GENITALIA, DISPLACEMENT of uterus
 - For RETROVERSION, ANTEVERSION
- Fibroid uterus
 - Genit.Female, Tumor, Uterus, fibriod
- PCOD
 - FEMALE GENITALIA - TUMORS - Ovaries - cysts
- BARTHOLIN'S CYST
 - FEMALE GENITALIA - TUMORS - Vagina, cysts
- Hydatidiform mole
 - Genit.Female, Moles

- Late menarche
 - GF, Menses, delayed in girls 1st
- Precocious puberty
 - GF, Menses, before the proper age
- Menopause
 - GF, Menopauae
- Secondary amenorrhoea
 - GF, Menses, suppressed
- MENSES, - absent, amenorrhoea - molimen only
 - (spotting)

- Menses appear as if would
 - GF, Menses appear
 - Abdomen, Pain, menses appear
- Sterility
 - GF, Sterility
- Uterus pushes up when she sits down
 - GF, Pushes
- Vaginismus
 - GF, Vaginismus
- Physometra
 - FEMALE GENITALIA - FLATUS from vagina
 - Urethra. Air - sars.

- FEMALE GENITALIA – MENSES, - amelioration of all complaints during: (2) *Lach. Zinc.*
- < of all complaints – in Generalities Chapter

GENITALIA

- **TPB**

1. SEXUAL ORGANS
2. MENSTRUATION
3. LEUCORRHOEA

- **BBCR**

1. GENITALIA

- ❖ Male Organs
- ❖ Penis
- ❖ Glans
- ❖ Prepuce
- ❖ Spermatic cord
- ❖ Testes
- ❖ Scrotum
- ❖ Female Organs

2. SEXUAL IMPULSE

3. MENSTRUATION

- ❖ Leucorrhoea

- **TPB : SEXUAL ORGANS**

- Sexual Organs in General

- Male Organs in General

- Parts of the Male genitalia – Testicles Penis, Glans, Foreskin, Scrotum and spermatic cord

- Female Organs in General

- External organs, Vagina, Uterus, Ovaries

- Misplaced rubrics :

Labor- like Pains (S&C), Labor Pains Cease – weak(insufficient flying in all directions), After Pains, Desire Too Weak, Too strong, Discharge of prostatic Fluid, Emissions, Erections, Impotency, Weak Sexual Power

- MENSTRUATION - TPB

- Abortion

- Haemorrhage, not at menstrual times (* discharge of blood before the proper age)

- Uterine haemorrhage

- Menstruation

- Beginning , Delayed in Girls (* delay of first menses)
 - Profuse, Scanty, Short
 - Suppressed

- Menses

- clotted
 - Membranous

- Concomitants of Menstruation

- Before Menstruation
 - At Beginning of Menstruation
 - During Menstruation
 - After Menstruation

- **Leucorrhoea: TPB**

Various types of leucorrhoea and Accompanying Troubles of Leucorrhoea are given in this chapter.

- **BBCR : 1. GENITALIA**

- ❖ Male Organs

- General sensations & complaints
- Eruptions, figwarts, gleet, **GONORRHOEA**, inflammation

- ❖ Penis

- Chancre, chancroid, **CHORDEE**
- Induration prostatic gland of

- ❖ Glans

- swelling - of fraenum

- ❖ Prepuce

- Phimosis
- Retracted (? Paraphimosis)

- ❖ Spermatic cord

❖ Testes

- Drawn up = undescended
- inflammation - mumps, after
- Varicocele

❖ Scrotum

- Hydrocele

❖ Female Organs

- All locations with abbr. – vagina, uterus, ovaries
- Sensations & complaints

❖ GENITALIA - Female Organs -BBCR

- All locations with abbr. – vagina, uterus, ovaries
- **ABORTUS**
- Barrenness(sterility)
- Bleeding – plethora in(not menstrual); intermenstrual
- Displacement of Uterus
- **CHILDBED** - afterpain, hair falling, milk absent scanty,
 - phlegmasia dolens = milk leg
 - puerperal fever
 - **Spasm, eclampsia**
- Lochia
- **LABOR, CONVULSIONS, ECLAMPSIA**
- Mole; Myoma
- **PREGNANCY**
 - Face, chloasma
 - **TPB - AGGR**
- Placenta retained
- Small, infantile
- Subinvolution
- Uterus, involution

BBCR- 2. SEXUL IMPULSE

- Rubrics related to sexual function
- Common for both male & female
 - BARRENNESS OF WOMEN = STERILITY
 - KENT – GENITALIA FEMALE
 - Priapism = painful erection
 - Coition
 - IMPOTENCY and weakened power
 - KENT – GENITALIA MALE
 - Onanism, masturbation
 - SATYRIASIS (MIND ALSO)
 - Prostatic fluid, loss of
 - Semen
 - Sexual desire
- Concomitant
 - Concomitant of coition
 - Concomitant after coition
 - Concomitant after pollutions

BBCR - 3. MENSTRUATION

- HAEMORRHAGE = ABORTION (TPB – MENSTRUATION – ABORTUS)
- Menses – abnormalities & character of menstrual blood
 - absent, amenorrhoea
 - Premature in adolescence
 - Suppressed
 - vicarious blood with spitting (haemoptysis or haematemesis), etc.
 - tardy at puberty
- Detailed concomitants
 - Before, at start of, during, after
 - rubric in general followed by name on sections in the book
- ❖ LEUCORRHOEA
 - Character of discharges – children in
 - Concomitants to leucorrhoea
- CR separate for menstruation & leucorrhoea