

A cartoon illustration of a young girl with short black hair, wearing an orange headband, an orange tank top, a brown and white striped skirt, and orange shoes. She has a green backpack and is holding a large wooden sign with her right hand. The sign contains the title and author information.

# REPERTORY A COMPARITIVE STUDY

## HEAD TO FACE

Dr SHALINI G UNNITHAN MD(Hom.)

Prof. & HOD

Dept of Repertory

SVRHMC, Nemoom

# TPB - Parts of the Body and Organs

- Arrangement of rubrics – Not alphabetical
- anatomical schema used by Hahnemann
- T.F. Allen
  - added many rubrics in the eye section
  - Combined Sides of the Body with the original Pocket Book.



- **BBCR**
  - Rubric in general
  - Location
    - with abbr. in brackets
    - Alphabetical
    - With sublocations & extensions
  - Sensations
    - Alphabetical
    - Particular locations as abbr.
      - Sides in case of B/L locations
        - » *R, L*
    - Pain not as general rubric
  - Time - Daytimings, daily, weekly, periodical...
  - Aggravation - Causative modalities
  - Amelioration
  - Concomitants, CR

## KENT

## ☐ Head

- Brain, Occiput, Sides, Temples, Vertex, Forehead, Hair

❖ **Except - Mastoid process & Petrous portion of temporal bone (EAR)**

- Sutures - OPEN FONTANELLES
- External conditions – Dandruff, Glabella (Oedema , swollen) , Scalp, Hair
- **Sunstroke**
- **Lice**

Skin - Lousiness

## TPB

## ☐ Internal Head

- Forehead, Temples
- Sides of head, Vertex, Occiput
- **One sided in general = MIGRAINE**

## ☐ External Head

- Hair, Margins of hair
  - Skin - Hair
- Hairy siniciput
- Scalp, Skull
- **BEARD**
- **Behind the Ears**

Misplaced rubrics

- Motion of Head
- General sensations in External Head

## ☐ Internal Head sides

## ☐ External Head sides

## BOGER

## ☐ Head Internal

- **Sunstroke**
- **Migraine**
- **Half of one(migraine)**
- **Hydrocephalus**
- **Inflammation , meningitis**

## ☐ Head External

- Coronal region (hairy)
- **Eyebrows (EYE also)**
- **Behind ears**
- Scalp

## • Sensations

- Hair falling (TPB – SKIN)
- **Whiskers**
- **Beats her head**
- **Dandruff, Plica polonica**



# HEAD

- 2 parts of body as Rubrics in Head chapter
  - HAND
    - Holds head with on coughing
  - STOMACH
    - As if rising from
- Hair growth on child's face???
  - Hirsutism???
- Cephalhaematoma – calc-f, merc, sil
- Cerebral haem.
- Hydrocephalus
- Paralysis of brain - Incipient = cerebral palsy
- SOFTENING of brain = senility or general paralysis of the insane (GPI) which is tertiary syphilis. Also used for cerebral haemorrhage/stroke.

- MIGRAINE

- BBCR

- HEAD - INTERNAL - HALF OF, ONE (MIGRAINE ETC.)
    - HEAD - INTERNAL – MIGRAINE

- TPB

- INTERNAL HEAD – ONE SIDED IN GENERAL

- KENT

- HEAD – OPEN FONTANALLE
    - VISION – DIM – HEADACHE DURING
    - STOMACH – VOMITING – HEADACHE DURING

= SYNTHESIS OF RUBRICS

- SUNSTROKE
  - KENT – HEAD
  - BBCR – HEAD INTERNAL
- BEATS HER HEAD – KENT
  - KENT – HEAD
  - BBCR – HEAD INTERNAL
- SCALP
  - KENT – HEAD
  - TPB – EXTERNAL HEAD
  - BBCR – HEAD EXTERNAL
- SKULL
  - KENT – HEAD
  - TPB – EXTERNAL HEAD
  - BBCR - SENSORIUM

- WHISKERS, BEARD

- KENT - FACE - FALLING of whiskers (BEARD FALLING – CR: FALLING of whiskers
- TPB - SKIN - HAIR; FALLING OUT OF – MOUSTACHE from
  - EXTERNAL HEAD - BEARD
- BBCR - HEAD - EXTERNAL – WHISKERS
  - HEAD - EXTERNAL - HAIR - BEARD



- EYEBROWS
  - KENT – EYE
  - TPB – EYE, BROWS
  - BBCR – HEAD EXTERNAL; EYE, EYEBROWS
- BEHIND EARS
  - KENT – EAR (INCLUDING MASTOID PROCESS)
  - TPB – INTERNAL HEAD; EAR
  - BBCR - HEAD - EXTERNAL - behind ears
    - EARS - BEHIND EARS ALSO MASTOID

SYSTEM	KENT	TPB	BOGER
CNS	<input type="checkbox"/> Mind <input type="checkbox"/> Vertigo  <input type="checkbox"/> Head	<input type="checkbox"/> Mind <input type="checkbox"/> Intellect  <input type="checkbox"/> Internal Head <input type="checkbox"/> External Head <input type="checkbox"/> Internal Head sides <input type="checkbox"/> External Head sides	<input type="checkbox"/> Mind <input type="checkbox"/> Sensorium <input type="checkbox"/> Vertigo  <input type="checkbox"/> Head Internal <input type="checkbox"/> Head External
Special Senses & Functions	<input type="checkbox"/> EYE <input type="checkbox"/> VISION	<input type="checkbox"/> EYE <input type="checkbox"/> VISION	<input type="checkbox"/> EYES <ul style="list-style-type: none"> <li>• Eyebrows</li> <li>• Orbits</li> <li>• Eyelids</li> <li>• Canthi</li> <li>• Vision</li> </ul>

	KENT	TPB	BOGER
Special Senses & Functions	<p>☐ Eye</p> <p>Eye proper, <u>Eyebrows</u>, Eyelids, Around Eyes</p> <ul style="list-style-type: none"> <li>○ Opacity of cornea</li> <li>○ ASTIGMATISM - Tub</li> <li>○ Paralysis of Optic nerve</li> <li>○ Cataract</li> <li>○ Chemosis</li> <li>○ Strabismus</li> <li>○ Protrusion of eyeballs , exophthalmos <ul style="list-style-type: none"> <li>• Exophthalmic Goitre??</li> </ul> </li> </ul> <p>☐ Vision</p> <ul style="list-style-type: none"> <li>○ Lost</li> <li>○ Colors, black, spots</li> </ul>	<p>☐ Eye</p> <p>Locations of eye</p> <ul style="list-style-type: none"> <li>○ Lens(cataract)</li> <li>○ <u>BROWS</u></li> <li>○ Squinting</li> <li>○ Aqueous humor</li> <li>○ Optic N</li> <li>○ Pupils</li> </ul> <p>☐ Vision</p> <ul style="list-style-type: none"> <li>○ Muscae Volitantes</li> <li>○ Far-sighted, Short – sighted</li> <li>○ Paralysis of Optic Nerve = AMAUROSIS</li> <li>○ Photophobia</li> <li>❖ Face – eye protruding</li> </ul>	<p>☐ Eyes</p> <ul style="list-style-type: none"> <li>❖ <u>Eyebrows(Head Ext</u></li> <li>❖ Orbits</li> <li>❖ Eyelids</li> <li>○ Meibomian gl, Styes</li> <li>○ Paralysis, ptosis, Trachoma</li> <li>❖ Canthi</li> <li>❖ Vision</li> <li>❖ Photomania – Mind, Eye, Vision</li> <li>○ Arcus senilis, Conjunctiva – chemosis</li> <li>○ Strabismus (TPB Squinting)</li> <li>○ Cornea – opacity, Glaucoma</li> <li>○ Look</li> <li>○ Photomania ,Photophobia</li> <li>○ Protruding – exophthalmos</li> <li>○ Trichiasis</li> </ul>

	KENT	TPB	BOGER
Special Senses & Functions	<p><b>□ Eye</b></p> <p>Eye proper, Eyebrows, Eyelids, Around Eyes</p> <ul style="list-style-type: none"> <li>○ Opacity of cornea</li> <li>○ ASTIGMATISM - Tub</li> <li>○ Cataract</li> <li>○ Chemosis</li> <li>○ Strabismus</li> <li>○ Paralysis of Optic nerve</li> <li>○ Protrusion of eyeballs, exophthalmos <ul style="list-style-type: none"> <li>• Exophthalmic Goitre??</li> </ul> </li> </ul> <p><b>□ Vision</b></p> <ul style="list-style-type: none"> <li>○ Lost</li> <li>○ Colors, black, spots</li> </ul>	<p><b>□ Eye</b></p> <ul style="list-style-type: none"> <li>○ Locations of eye - Aqueous humor, Optic N, Pupils</li> <li>○ Lens(cataract)</li> <li>○ BROWS</li> </ul> <p><b>□ Vision</b></p> <ul style="list-style-type: none"> <li>○ Illusion</li> <li>○ Muscae Volitantes</li> <li>○ Far-sighted, Short – sighted</li> <li>○ Paralysis of Optic Nerve = AMAUROSIS</li> <li>○ Photophobia</li> </ul>	<p><b>□ Eyes</b></p> <ul style="list-style-type: none"> <li>❖ Eyebrows</li> <li>❖ Orbits</li> <li>❖ Eyelids</li> </ul> <ul style="list-style-type: none"> <li>○ Meibomian gland, Styes</li> <li>○ Paralysis, ptosis; Trachoma</li> <li>○ Spasm, Blepharospasm</li> </ul> <p>❖ Canthi</p> <p>❖ Vision</p> <ul style="list-style-type: none"> <li>❖ Blindness, sudden, amaurosis</li> <li>❖ Blindness, day, Hemeralopia</li> <li>❖ CATARACT</li> <li>❖ Illusion – flies &amp; MUSCAE VOLITANS; diplopia</li> <li>❖ MYOPIA, PRESBYOPIA</li> </ul>

- OPTIC NERVE
  - KENT – EYE (PARALYSIS, ATROPHY, INFLAMMATION)
  - TPB, BBCR – EYES (As Organ)
- AMAUROSIS = Paralysis of Optic Nerve resulting in blindness
  - KENT – EYE, Paralysis of Optic Nerve
  - TPB – VISION, Paralysis of Optic Nerve
  - BBCR – EYE, VISION
- PHOTOPHOBIA
  - KENT – EYE
  - TPB - VISION
  - BBCR – EYE, VISION
- PHOTOMANIA
  - KENT - EYE
  - TPB - VISION
  - BBCR - MIND, EYE, VISION

- EXOPHTHALMOS/ EYE Protruding

- KENT – EYE PROTRUDING
- TPB – FACE, EYES PROTRUDING
- BBCR – EYES, PROTRUDING

- ❖ STARING

- KENT – EYE, STARING
- BBCR – EYE, STARING
  - BBCR - EYES - VISION - STARING AT ONE POINT

- PUPILS dilated

- KENT - EYES – PUPILS DILATED
- TPB - EYES - PUPILS - DILATED
- BBCR - EYES - PUPILS - DILATED

- CATARACT

- KENT – EYES, CATARACT
- TPB - EYES, LENS (CATARACT)
- BBCR – EYE - VISION, CATARACT

- ❖ ARCUS SENILIS

- KENT - EYE - OPACITY of cornea - arcus senilis
- BBCR - EYES - ARCUS SENILIS

- MUSCAE VOLITANS

- KENT – VISION, COLORS, BLACK, spots, floating, muscae volitantes
- TPB – VISION, MUSCAE VOLITANES
- BBCR – VISION - ILLUSION – FLIES & MUSCAE VOLITANS; DIPLOPIA

- MYOPIA; HYPERMETROPIA

- KENT – VISION – MYOPIA, HYPERMETROPIA
  - KENT – EYE – ASTIGMATISM – Tub.
- TPB – VISION – SHORTSIGHTEDNESS; FAR SIGHTEDNESS
- BBCR – VISION – MYOPIA [Hypermetropia (not in BBCR)]
  - BBCR – VISION - PRESBYOPIA

- STRABISMUS

- KENT – EYE, STRABISMUS
- TPB – EYE, SQUINTING
- BBCR - EYE, STRABISMUS

- ❖ PTOSIS

- KENT - EYE - PARALYSIS - of lids
- BBCR – EYES - EYELIDS - PARALYSIS, DROOPING, PTOSIS, etc.

- ❖ EYE GUM

- KENT - EYE - EYE GUM, LIDS on
- BBCR - EYES - EYELIDS – eyegum; EYES - CANTHI - eyegum

- EYE BROWS

- KENT – FACE
- TPB – EYES
- BBCR – EYES, EYEBROWS; HEAD EXTERNAL



KENT

- EAR
  - Caries of mastoid
- (Parotid – FACE)
  
- HEARING - 4 RUBRICS
- ACUTE
- DISTANT
- ILLUSION
- IMPAIRED

TPB

- EAR
  - Parotid
  
- HEARING
  - Loss of hearing
  - Acute

BBCR

- EAR
  - Caries of mastoid
  - Glands (auricular, parotid – also in FACE)
  - Earwax
  - Perforation of drum
  
- HEARING - SC
  - Deafness
  - Illusion
    - noises (tinnitus)
    - Bellowing
  - sensitive to human voice

- TPB

# EARS, HEARING

- EAR

- Ext, internal, middle
- Eustachian tube
- Lobules

- PAROTID GLAND

- KENT – FACE
- BBCR – EAR, FACE
  - Discharges
  - Ear Wax

- HEARING

- Acute, Hardness, Stopped Feeling ; etc
- Loss of Hearing
  - ( from Paralysis of Auditory Nerve)

- BBCR

- EAR

- GLANDS- Auricular, Parotid

- CARRIES OF MASTOID

- KENT - EAR

## ❖ Hearing

- Deafness, illusions of bellowing
  - (KENT- Ear, Noises)
  - (KENT – MIND – BELLOWING)

KENT

- NOSE
  - Smell – s.r

TPB

- NOSE
- SMELL

BBCR

- NOSE
  - Smell – s.c
- CORYZA

# NOSE - KENT

- SMELL, SNEEZING, CORYZA, CATARRH
- Nostrils, Turbinates, Post. Nares
  - CANCER – EPITHELIOMA
    - GENERALITIES, CANCER EPITHELIOMA
  - Epistaxis, Freckles
  - Lipoma – Sulph
  - Polypus

- Anosmia
  - Nose, Smell wanting, lost
- Hay fever
  - Nose, Coryza, annual..
- Child constantly rubbing the nose
  - Nose, Itching, rubs constantly
- Chapter having no 'eruption' : Nose, Throat, Mouth

- Flapping alae nasi
  - Nose, Motion of wings fan like
- Nasal regurgitation
  - Nose, Liquid,...
  - Throat, Food, passes in to chonae
  - Throat, Liquid, taken are forced to nose

- PND(post nasal discharge)
  - Nose, Catarrh, post nasal
- Rawness of **upper lip** with **coryza** over flows
  - **Nose**, Discharge, excoriating.
- **Sore throat** with coryza
  - Nose, coryza sore throat with
- **Snuffles** in infants
  - Nose, Obstruction, nursing infant
  - Nose, Snuffles

- Vicarious menses
  - Nose, Epistaxis, amenorrhoea with
  - Nose, epistaxis, vicarious
  - Genit.Female, Vicarious
  
- Yellow saddle
  - Nose, discoloration, yellow saddle
  - Face. discoloration, yellow saddle
  - Face. Saddle



- Desire to pull one's nose in the street
  - Mind, Pull
- Pulls his own hair
  - Mind, Pulls
- Pulls the hair of bystanders
  - Mind, Rage

# Nose - TPB

- External , Internal
- Back (\*Bridge)
- Bones, Root, Septum
- Wings , etc
- Nasal Discharges
- Sneezing
- Ineffectual efforts to sneeze
- Odor from nose

– Bituminous = Pitch like

## SMELL – TPB

- Sensitive
- Illusions of Smell in General

# NOSE - BBCR

- External
- Internal
  - SINUSES
    - KENT – FACE, NOSE
      - » ANTRUM
  - Bleeding, menses absent (vicarious)
  - Discharges, post nares, dripping(PND)
  - Polypi, hypertrophies
  - Pores, black comedo
  - Struma, scrofula

# NOSE – SMELL - BBCR

- Illusions
- Weak = anosmia
  - Paralysis of nerves of smell from

# CORYZA - BBCR

- Separate chapter ( as in Rep. of Antipsorics)
- Coryza, catarrh, annual, hay fever
  - KENT - NOSE, CORYZA, annual - hay fever
- Sneezing
  - KENT, TPB – NOSE, SNEEZING
- Nasal obstruction( in Nose also)

- SUPPRESSED NASAL CATARRH

- TPB – NOSE - Nasal catarrh

- NOSE - STOPPED CORYZA

- ❖ AGGR.- Nasal catarrh suppression of

- BBCR - CORYZA - Coryza, catarrh - stuffed, obstructed – suppressed

- ❖ CONDITIONS OF AGGRAVATION AND AMELIORATION IN GENERAL - Coryza, catarrh - suppressed, agg.

- KENT – NOSE DISCHARGE SUPPRESSED

- EPISTAXIS

- KENT – NOSE - EPISTAXIS

- TPB – NOSE - NOSEBLEED

- BBCR – NOSE - BLEEDING

- **ANOSMIA**

- KENT – NOSE, SMELL, WANTING
- TPB – SMELL, WEAK OR LOST
- BBCR – NOSE – SMELL - WEAK

- **YELLOW SADDLE**

- KENT – **FACE**. DISCOLORATION, YELLOW SADDLE; **FACE** - SADDLE  
- **NOSE**, DISCOLORATION, YELLOW SADDLE
- TPB – **FACE** – YELLOW SADDLE across upper part of cheek & nose  
- **SEP**
- BBCR – **NOSE**, **YELLOW SADDLE** ; **FACE – YELLOW** ACROSS NOSE  
& CHEEKS (no saddle)

# FACE

## KENT

- FACE

## TPB

- FACE
- FACE – LOC.  
OF  
SENSATIONS

## BBCR

- FACE
  - Lips
  - Lowerjaw  
& max. jt
  - Chin



# FACE -KENT

- **SINUSES – antrum**
  - BBCR – NOSE Internal , SINUSES
- **GLANDS**
  - **PAROTID**, submaxillary, submental, sublingual
  - **TPB, BBCR – EAR, PAROTID**
  - Submandibular not mentioned
- **OUTER LIPS, CORNERS OF MOUTH, JAW, CHEEKS, FACIAL BONES, CONDYLES, MENTAL FORAMEN, ZYGOMA**
- **CONSTITUTIONAL**
  - **EXPRESSION, Hippocratic, GREASY, WAXY**
- **Around eyes**
  - **Sickly look around eye ???**
  - **STARING???**

- **CLINICAL RUBRICS**

- Chlorotic

- Freckles (also in Nose)

- Lupus

- Necrosis of lower jaw

- Prosopalgia : Face, Pain aching (prosopalgia)

- Angular stomatitis
  - Face, Ulcers, mouth corners of
- Drawing back the corners of mouth due to spasm of muscles
  - Face, **Risus sardonicus**
- Aphthae in **lip**
  - Face, Aphthae.
- Dirty matter on **lip**
  - Face. Sordes
- Herpes **labialis**
  - Face, Eruption herpes **lips** around

- Chewing motion of the **jaw** before an attack of epilepsy
  - Face, Chewing
- Hanging of **lower jaw** : Face, Dropping
- Trismus : Face, **lockjaw**
- Emaciation of **face & hands**
  - **Face**, Emaciation

- Maxillary sinusitis
  - Face. Pain. Zygoma
- Mosquito allergy in face
  - Face, Erysipelas bites
- One cheek cold other hot
  - Face, Heat, cold one side other hot
- Movement of hand begins in the face as if brushing something away
  - Mind, Gestures hands of the

- Rodent ulcer/ BCC
  - FACE - **CANCER** - noli me tangere on nose
- Sweat whole body **except face**
  - Perspiration, Face

- Bell's palsy
  - FACE - PARALYSIS - cold, from
  - FACE - PARALYSIS - corners of mouth drop and saliva runs out
  - FACE - PARALYSIS - one-sided

- Hair growth on child's face
  - FACE - HAIR, growth of, child's face
- Hair **f**alling from face
  - **F**ACE - **F**ALLING of whiskers
- Orchitis after Mumps
  - FACE - INFLAMMATION, - parotid gland - metastasis to – testes
  - Genit.Male, Swelling, testes, mumps from



- Desire to **strike** at his face : **Mind**. Striking
- **Spits** in face of people : **Mind**, Spits
- Sees FACES - MIND - **DELUSIONS**, - faces, sees
- Aversion to smiling faces – MIND – **COMPANY** – aversion – smiling faces to
- MIND - **GESTURES**, makes - hands, - of the, as if brushing the face, or as if brushing something away
- **COUGH** - SUFFOCATIVE - **child becomes stiff and blue in face**

- All General < & > given under Generalities
- Bathing face >
  - Generalities, Bathing FACE, amel
- Shaving <
  - Face, Shaving

# FACE - TPB

- Objective symptoms followed by locations
- Color
  - Bluish
  - Around Eyes
  - pale
- Circumscribed Redness of Cheeks
- Comedones
- Drawn
- EMACIATION
- Expression Altered
- EYES
  - PROTRUDING
  - KENT, BBCR - EYES
  - Sunken
- Freckles
- OPEN MOUTH
- Locations of sensations
  - Forehead
  - Temples
  - Malar bones
  - Articulation of Jaws
  - Lips
  - Corners of lips
  - Cheek
  - Upper Jaw
  - Lower jaw
  - Chin
    - BBCR - MENTAGRA
  - Sides- Left and Right

# FACE - BBCR

## □ FACE

- PAROTID GLAND (Also in EAR)
  - MAXILLARY JOINT, ZYGOMA
    - SALIVARY GLANDS – MOUTH
      - Pimples
      - Color
      - Anxious look
      - Aged look
      - EXPRESSION
        - anxious
        - hippocratic
      - Milkcrust
      - Red circumscribed
      - Yellow, across, nose & cheeks  
(= saddle) – YELLOW SADDLE in NOSE
    - HERPES & TETTER - TONSORANS (= T. Capitis)
    - RISUS SARDONICUS
- ❖ Lips
    - Upper, lower, angles
    - Retracted, RISUS SARDONICUS
  - ❖ Lowerjaw & max. jt
    - Lower Jaw only
    - Swelling of Submaxillary Gland
    - Dislocation easy
    - CRAMP, TRISMUS, LOCKJAW
  - ❖ Chin
    - MENTAGRA = Barber's itch

- **RISUS SARDONICUS**
  - KENT – FACE, RISUS SARDONICUS
  - TPB - **FACE, DRAWN**
  - BBCR – FACE, RISUS SARDONICUS; FACE – LIPS- RETRACTED, RS
- **COMEDONES**
  - KENT –FACE – ERUPTIONS - Comedones
  - TPB – FACE – COMEDONES
  - BBCR - **NOSE - PORES, BLACK - comedo**
    - **FACE - ACNE – comedo**
    - **SKIN AND EXTERIOR BODY - ERUPTIONS – comedo**
- **EXPRESSION ALTERED**
  - KENT - FACE - Expression
  - TPB - FACE - Expression altered
  - BBCR - FACE - Expression - altered

## ❖ TRISMUS, LOCKJAW

- KENT – FACE, LOCKJAW
- BBCR - FACE - LOWER JAW AND MAXILLARY JOINTS – CRAMP, trismus, lock jaw

## • ANXIOUS EXPRESSION

- KENT – FACE - EXPRESSION ANXIOUS
- TPB – FACE - EXPRESSION ALTERED; FACE – ANXIOUS LOOK
- BBCR - FACE - EXPRESSION ANXIOUS

## ❖ HIPPOCRATIC FACE

- KENT – FACE - HIPPOCRATIC
- BBCR – FACE - EXPRESSION - HIPPOCRATIC