

John Henry CLARKE, M.D.

A Clinical **REPERTORY**
to the Dictionary of *Materia Medica*

together With Repertories Of Causation Temperaments

Clinical Relationships Natural Relationships



DEPT OF REPERTORY
SVRHMC

A Bird's Eye View of the Organon .
Catarrh, Colds and Grippe.
Cholera, Diarrhea and Dysentery.

Diseases of Glands and Bones.
Diseases of Heart and Arteries.
Grand Characteristics of Mat. Medica.
Gun Powder As A War Remedy.
Homeopathy Explained.
Indigestion-Its Causes and Cure.


Radium As An Internal Remedy.
The Revolution in Medicine.
The Therapeutics of Cancer.
Tumours.

Prescriber - 1897

Dictionary of Practical Materia Medica (3 vols)

– 1900

Clinical Repertory - 1904



THE PRESCRIBER.

Abdomen, DISTENDED.—In fat, scrofulous children, *Calc. c.* 6, 6h. In thin, rickety children, *Silic.* 6, 6h. When due to worms, *Cina* 3, 6h. If due to flatulence with constipation, *Lyc.* 6, 6h. If from flatulence, with great pain, the bowels being open or loose, *Dioscor.* 3, 6h. Hysterical distension, *Ign.* 3, 2h. As if a living animal were there, *Thuja.* 3, 2h. **DROPSICAL.** See **Dropsy.**

Abortion. See **Miscarriage.**

Abscess, or Suppuration.

THREATENING.—Redness, pain and throbbing, without much swelling, *Bell.* 1, 1h. Much swelling with or without redness, burning, throbbing, stinging pain, *Apis* 3x, 1h. After *Bell.* or *Apis*, if either of these is insufficient to check the inflammatory action, *Merc. sol.* 6, 2h. Abscess near the rectum, *Silic.* 6, 4h.

FORMED.—When matter has actually formed, to assist the process and bring it to a favorable termination, *Hepar s.* 6, 3h. Locally, fomentations with hot *Calendula* lotion (*Calend.* ϕ a teaspoonful to two tablespoonfuls of hot water) two or three times a day.

DISCHARGING—When an abscess has been opened, or has opened spontaneously, *Silic.* 6, 4h.; locally, a lotion of *Calendula* ϕ (one teaspoonful to two tablespoonfuls of water), to be kept applied, and changed

- DR. J. CROMPTON BURNETT: “The fact is, we need **any and every way of finding the right remedy**, the simple simile, the simple symptomatic similimum —**the pathological similimum**, and I maintain that we are **still within the lines of Homoeopathy** that is an expansive, progressive science”.



James Compton
Burnett

- J H CLARKE : “ Certain diseases come to have certain remedies assigned to them and all patients who are found to be suffering from any given disease must be dosed with one of the remedies credited to it”.



- **CLINICAL REPERTORY** is an index of remedies applicable to various more or less fixed symptoms / syndromes to which **nosological labels** can be given

- these repertories can be used for cases where **clinical conditions mask the characteristics of the patient.**

In such cases the physician finds the **prominent common symptoms with a few modalities and concomitants.** These cases need the help of clinical repertories for selecting the simillimum.

- **General clinical repertory** (Boericke's clinical repertory, Clarke's repertory)
- **Disease oriented clinical repertory** (bells diarrhoea, repertory of leucorrhoea)
- **Organ based clinical repertory** (Minton's uterine therapeutics, Berridge eye repertory)

- CLINICAL REPERTORY

- GENERAL

- a. Cases lacking in mental generals and physical generals but rich in common symptoms.
- b. Cases with clinical diagnosis.
- c. Short cases with very a few symptoms.

- Limitation :

Clinical repertories are based on **NOSOLOGICAL TERMS AND CLINICAL SYMPTOMS**, which are the result of **clinical observations** hence their use is limited to particular type of cases. They are mainly used for reference work.

- 1904
- Source – Dictionary of Practical Materia Medica
 - every remedy is described under different points of view
- In memory of ROBERT THOMAS COOPER

To

THE MEMORY OF

ROBERT THOMAS COOPER,

M.A., M.D. (T.C.D.),

THIS VOLUME IS INSCRIBED IN UNDYING

AFFECTION AND ADMIRATION BY

HIS FRIEND

THE AUTHOR.

PREFACE

- Give more attention to the **general preface and introductory notes** to each separate division.
 - **PRINCE OF REPERTORY – BOENNINGHAUSEN**
- More useful for the **study of Materia Medica** no less than an instrument in finding out indicated remedies.

- Homoeopathic practice demands knowledge of *Materia Medica* and knowledge how to use it.
- This demands unlimited patience and application in the study of drug comparisons.
- This repertory enables the practitioner to compare any remedy with any similar remedy in five different points, all of great importance in practice.
 - As in Dictionary of Practical MM

- CONTENTS
- LIST OF REMEDIES WITH ABBREVIATIONS
- ALPHABETICAL LIST OF ABBREVIATIONS WITH REMEDIES
 - Approx **1063** remedies with few repetitions

• PART I – CLINICAL REPERTORY

- Prepared an **Index** to clinical condn -> Alphabetical list of clinical conditions
 - which have been observed curative
 - Suggestions from experience
 - **Remedies in italics** – medicine also in Prescriber (6th edition)
[published b/w the 1st & 2nd volumes of Dictionary]
 - **Remedies in ()** – not in Dictionary to MM, but added to his copy since the Dictionary was published

PART I.

A CLINICAL REPERTORY

[The name of a remedy printed in italics signifies that the same remedy may be found mentioned in the *Prescriber* under the same heading. The name of a remedy appearing in brackets signifies that the particular affection under which it appears does not occur in the *Dictionary of Materia Medica* under the CLINICAL heading, but has been added to my copy since the *Dictionary* was published.]

Abdomen, COLDNESS in.—Phel., Ple.

DISTENDED.—*Cin., Dio., Fil., Ign., Lyc., Sil., Thu.*

LARGE.—*Calc.*

OPERATIONS ON, VOMITING after.—*Bia. Cep.*

PLETHORA of.—*Alo.*

SWELLING of.—*Prf.*

THROBING in.—*Bru.*

Abortion.—*Alet., Asc. s., Fil., Goa., Kou., Lyc., Mur., Nx. m., Prt.,*

Pin. l., Rhs., Rsm., Rum., Sbi., Tan., Thu.

AFTER-EFFECTS of.—*Sbi.*

HÆMORRHAGE after.—*Thl.*

TENDENCY to.—*Act. r.*

THREATENED.—*Bap., Caul., Cro., Ham., Phyt., Sec., Vb. p.*

See also Miscarriage.

Abscess.—*Anan. Aps., Arn., Ars., Bel., Ca. s., Caln., Chi., Elt.,*

Fl. x., Gui., Hsp., Hpz., Mat., Mr. sol., Na. sa., Pyro., Sil.,

Symt., Syph., Thy.

COLD ABSCESS.—*Ol. j.*

Abscesses, MULTIPLE.—*Vsp.*

SUCCESSION of.—*Syph.*

Acetonæmia.—(*Cbl. x.*)

Acidity.—*Ag. n., Ca. ar., Calc., Cb. v., Cham., Lo. s., Lun., Par., Pod.,*

Pr. v., Rob., Su. x.

INFANTS, in.—*Na. p.*

Angina Fauclum.—Dul.

PECTORIS.—*Act. r., Aml., Ag. cy., Asi., Aur., Au. m., Bis., Cac., Ca. hp., Cam., Cb. v., Chm. m., Ch. ar., Ch. s., Chl. h., Chr. o., Coca, Crat., Cu. a., Cup., Dig., Dio., Glo., Hæm., Hep., Hy. x., Hyo., Jg. c., Klm., Lot. v., Lt. m., Lil., Li. c., Lo. i., Lyc., Mgn. gr., Moa., Naj., Na. na., Ox. x., Pet., Phyt., Sac. l., Smb. c., Smb. n., Scil., Scol., Spi., Spo., Sti., Sto. c., Tab., Trn., Ther., Thu., Thy., Ver., Wis., Zn. v.*

TONSILLARIS.—*Fe. m.* (*See also Quinsy; Tonsillitis; and Tonsils, INFLAMED.*)

Anidrosis.—*K. i., Na. c., Pb.*

Ankle, ITCHING ERUPTION about.—*Sel.*

PAINS in.—*Trid.*

- Part II – “ CAUSATION”

- how the remedies are related to conditions due to definite cause –An alphabetical list of causes is added
- Remedies in () – not in Dictionary to MM
- Cause related with a particular effect, that effect is given in brackets and precedes the name of the remedy
 - Washing clothes – (headache) Phos, Ther.

Anger.—Alm., Arn., Bry., Cham., Chi., Coc. i., Col., Gel., K. br., Lach.,
Lyo., Mex., Na. s., Nux, Opl., Pho., Sac. o., Sep., Stp.,
(red nose) Vin., Zin.

——— Effects of.—(cough) Ant. t., Aur.

——— Slightest.—Rhs.

——— Slightest Fit of.—(trembling and dyspnoea) Rn.b.

——— Suppressed or Reserved.—Aur., Ipec., Stp.

See also Passion; and Rage.

Anxiety.—Act. r., Lyo., Smb. n. (*See also Care; Mental Distress, &c.;
and Worry.*)

Apprehension.—Ag. n.

Arms, Raising.—Su. x.

——— Raising high to lift things.—Rhs.

Ascending.—Ca. p.

August, Hay-fever of.—Cep.

Autumn.—(epidemics of spasmodic cough) Cep., (affections in general)
K. bi.

Bad Beer.—Nx. m.

——— Eggs.—Cb. v.

——— Fat (rancid).—(Ars.), (Cb.v.).

——— Fish.—Cb. a., Cb. v. Cep.

——— Food.—Cb. v.

——— Liquors.—Cb. v.

——— Lobster Salad.—(Ars.).

——— News, hearing.—Aln., Aps., Art. v., Ca. p., Gel., Pso., Ph. x.,
Trn.

——— Smells.—(Bap.), Kre. (*See also Noxious Effluvia; and Sewer-
gas.*)

——— Vegetables.—Cb. a.

——— Water, drinking.—All, Crt. h.

Wines.—Cb. v.

- PART III – TEMPERAMENTS, DISPOSITIONS,
CONSTITUTIONS & STATES

- Types of persons, temperaments, age & sex
- Complaints & conditions of particular type of persons & constitutions also included
 - In Dictionary – “ SUITED TO”
 - Calc.brom – Suited to children who are of lax fibre, lymphatic, nervous & irritable

PART III.

REPERTORY OF TEMPERAMENTS, DISPOSITIONS, CONSTITUTIONS, AND STATES

[In this list are given the remedies which have been found to act most beneficially in certain types of persons, temperaments, sex, and age. There are also included complaints and conditions of particular types of persons and constitutions. In the *Dictionary of Materia Medica* these are generally given in the section *Characteristics* under the description "Suited To."]

- Children.**—Ac. x., Cic., Cic. v., Gel., K. br., Merc., Nx. m., Pul., Sbd.,
 Spo., Stim., Teu., Thu., Ver.
- Abdomen, large, with.—Calc., Sars.
 - Air Passages, Scrofulous Diseases affecting the.—Smb. n.
 - Alimentary Canal, Irritation of, in.—Rhe.
 - Ascarides and Lumbrici, afflicted with.—Spi.
 - Big-bellied.—Sul.
 - Big Heads, with.—K. i.
 - Big Teeth, with, and Small Jaws.—K. i.
 - Bilious Attacks, remittent, liable to.—Mr. d.
 - Bowel Complaints of Rickety.—Med.
 - Cerebral Irritation of, from Dentition.—Sou.
 - Chubby.—K. bi.
 - Chubby, Fat.—Sga.
 - Clumsy.—Cap.
 - Cold, who take, readily when the weather changes.—Sep.
 - Convulsions of.—Pas.
 - Cough of, after Influenza.—Sang.
 - Cross after sleep, pushing every one.—Lyc.
 - Cross, outrageously.—Hep.
 - Cross, Whining.—Soc. o.
 - Dainty and Capricious.—Soc. o.
 - Deep-seated Dyscrasia, with.—Su. x.
 - Delicate, Sickly.—Pso.
 - Delicate Skin, with.—Bro.
 - Dentition, during, Puny.—Mag. m.
 - Dentition, during, Rickety.—Mag. m.
 - Disorders of, such as Flatulence and Irritation of the Alimentary
 Canal.—Rhe.

• PART IV – “CLINICAL RELATIONSHIPS

- Tabular form
 - Complementary
 - Remedies follow well; Followed by
 - Compatible
 - Generic term
 - First 3 columns
 - Incompatible; Antidote; Antidoted by
- Duration of action
- Spaces provided – for further addition

NOTE.

THIS section of the Repertory gives in tabular form the chief clinical relations of all remedies of the Materia Medica so far as they have been noted. They are included under the following headings: "Complementary Remedies," "Remedy Follows Well," "Remedy is Followed Well by," "Compatible Remedies," "Incompatible Remedies," "Remedy Antidotes," "Remedy is Antidoted by." There is also added the duration of action of remedies so far as these have been noted.

The term "compatible" is a generic term, and includes all the remedies of the first three columns—*i.e.*, the "complementary" remedies, those which the remedy "follows well," and those which it is "followed well by"—but the column "Compatible Remedies" has been included because some remedies have been noted as compatible with others, without further qualification.

Many remedies have not yet had their clinical relationships noted. But I have not excluded them on this account; and spaces are thus provided for the insertion of their related remedies when found later on in practice.

- **Compatible** – some remedies have been noted as compatible with others without further qualification
- **Complimentary** – Certain food materials which enhance the action are given
 - Eg: Artimesia when given in wine is more effecting than in water.
- **Source of this section**
 - **Dr. Gibson Miller** in the Homoeopathic World in 1902

REMEDY.	Complementary Remedies.	Remedy Follows Well.	Remedy is Followed Well by.	Compatible Remedies.
Argentum cy. ...				
Argentum iod. ...				
Argentum met. ...		Alm., Plat.	Calc., Pul., Sep.	
Argentum n. ...		Bry., Caus. (urethral affections), Spt. (dyspepsia), Sps. (guttæ), Ver. (flatus).	Calc., Hfb., K. ca., Lye. (flatus), Merc., Pul., Sep., Sil.	

Incompatible Remedies.	Remedy Antidotes.	Remedy is Antidoted by.	Duration of Action.	REMEDY.
				Argentum cy.
				Argentum iod.
		Merc., Pul., (an occasional dose of Pul. favours action of Ag. n. in ophthalmia).	80 d.	Argentum met.
Col. (it increases the nervous headache), Vsp.	Amm., K. I. (fullness and indigestion after each dose), Op., effects of tobacco.	Ara., Iod., Merc., Milk, Na. m. (chemical and dynamic). Antidotes to Ag. n. and Nt. x. are Calc., Pul., Sep.; next in importance, Lye., Pho., Rhs., Sil., Sul.	80 d.	Argentum n.

PART V – REPERTORY OF NATURAL RELATIONSHIPS

- Homoeopathic Materia Medica consists of anything and everything in the universe
- Man himself epitomizes the Universe and nothing in the universe is unrelated to him
- Thus he developed some of the applications of the substances and the methods by which they are to be prepared and applied
- This section provides knowledge at a glance **the place in Nature of any remedy in question** – mineral, animal, vegetables etc.

- Alphabetical list of all the natural order
 - Under each section - alphabetical list of all the remedies included in the Materia Medica.
- List of natural or evolutionary order
 - A number is given for each order and same number is in alphabetical order
 - This knowledge is important because there is a therapeutic likeness and between the members of same group

- This section of the repertory is divided into 5 sections.

1. Metals or elements – 56 drugs

2. Vegetable kingdom – 64 drugs

3. Animal kingdom (Pascoe's zoological classification)

4. Sarcodes – FLESH REMEDIES – 37 drugs

5. Nosodes – 22 drugs

- Total – 737 drugs

I. ELEMENTS •

ALPHABETICAL LIST.

10. Aluminium	...	Al	27·10	9. Magnesium	...	Mg	24·36
36. (Antimonium)	...	Sb	120·20	20. (Manganum)	...	Mn	55·00
32. Argentum	...	Ag	107·93	45. Mercurius	...	Hg	200·00
26. Arsenicum	...	As	75·00	8. (Natrium)	...	Na	23·05
44. Aurum	...	Au	197·20	22. Niccolum	...	Ni	58·70
39. (Barium)	...	Ba	137·40	5. (Nitrogenium)	...	N	14·04
48. Bismuthum	...	Bi	208·50	41. Osmium	...	Os	191·00
3. (Boron)	...	B	11·00	6. Oxygenium	...	O	16·00
28. Bromium	...	Br	79·96	31. Palladium	...	Pd	106·50
33. (Cadmium)	...	Cd	112·40	12. Phosphorus	...	P	31·00
16. (Calcium)	...	Ca	40·10	43. Platinum	...	Pt	194·80
4. (Carbon)	...	C	12·00	47. Plumbum	...	Pb	206·90
40. (Cerium)	...	Ce	140·00	30. (Rhodium)	...	Rh	103·00
14. Chlorum	...	Cl	35·45	27. Selenium	...	Se	79·20
19. (Chromium)	...	Cr	52·10	11. (Silicon)	...	Si	28·4
23. Cobaltum	...	Co	59·00	35. Stannum	...	Sn	119·00
24. Cuprum	...	Cu	63·60	29. (Strontium)	...	Sr	87·60
21. Ferrum	...	Fe	55·90	13. Sulphur	...	S	32·06
7. (Fluorinum)	...	F	19·00	38. Tellurium	...	Te	127·60
1. (Hydrogenium)	...	H	1·008	46. Thallium	...	Tl	204·10
34. Indium	...	In	114·00	17. Titanium	...	Ti	48·10
37. Iodium	...	I	126·85	49. (Uranium)	...	U	238·50
42. Iridium	...	Ir	193·00	18. Vanadium	...	V	51·20
16. (Kali)	...	K	39·15	25. Zincum	...	Zn	65·40
2. (Lithium)	...	Li	7·03				

LIST IN ORDER OF ATOMIC WEIGHTS.

1. G. I.†	Hydrogenium	1·008	14. G. VII.	Chlorum	...	35·45	
2. G. I.	Lithium	...	7·03	15. G. I.	Kali	...	39·15
3. G. III.	Boron	...	11·00	16. G. II.	Calcium	...	40·10
4. G. IV.	Carbon	...	12·00	17. G. IV.	Titanium	...	48·10
5. G. V.	Nitrogenium	...	14·04	18. G. V.	Vanadium	...	51·20

II. VEGETABLE KINGDOM.*

I. ALPHABETICAL LIST OF
NATURAL BOTANICAL ORDERS REPRESENTED IN
THE MATERIA MEDICA.*

- | | |
|--|--|
| <p>Abletines, see Coniferae. (115)</p> <p>Alga. (119)
Fucus Vesiculosus.</p> <p>Amaryllidaceae. (101)
Agave Americana.
Narcissus.</p> <p>Anacardiaceae. (82)
Anacardium Occidentale.
Anacardium Orientale.
Comocladia.
Rhus Aromatica.
Rhus Diversiloba.
Rhus Glabra.
Rhus Radicans.
Rhus Toxicodendron.
Rhus Venenata.
Schinus.</p> | <p>Aquifoliaceae (or Illicaceae). (37)
Ilex Aquifolium.
Prinos Verticillatus.</p> <p>Araceae. (110)
Arum Dracontium.
Arum Draconculus.
Arum Italicum.
Arum Maculatum
Arum Triphyllum.
Caladium.</p> <p>Arbutae, see Ericaceae. (86)</p> <p>Araliaceae. (49)
Aralia Racemosa.
Ginseng.
Hedera Helix.</p> <p>Aristolochiaceae. (79)
Aristolochia Milhomens.
Aristolochia Serpentaria.</p> |
|--|--|

IV. SARCODES.*

Adrenalinum.	Lac caninum.
Aranearum tela.	Lac felinum.
Calcareo carbonica (ostrearum).	Lac vaccinum.
Calcareo ovi testæ.	Oleum jecoris aselli.
Carbo animalis.	Oophorinum.
Castor equi.	Orcbitinum.
Cervus.	Ovi gallinæ pellicula.
Colostrum.	Ovi gallinæ testa, <i>see</i> Calcareo ovi testæ.
Conchiolinum.	Pulmo vulpis
Fel tauri.	Sphingurus.
Gadus morrhua.	Thyroidinum.
Helix testæ.	Urinum.
Hippomanes.	

SARCODE-DERIVATIVES.†

Cholesterinum.	Pepsinum.
Lac vaccinum coagulatum.	Pyrogenium (or Sepsinum).
Lac vaccinum defloratum.	Saccharum lactis.
Lacticum acidum.	Thyroidinum.
Lactis vaccini flos.	Urea.
Pancreatinum.	Uricum acidum.

* This list contains remedies made from preparations of healthy animal tissues and secretions. Preparations of poisonous animals (*Homarus*, *Sanguisuga Erythrinum*, &c.) are not included under this head.

† Preparations derived from healthy animal tissues and secretions are included under this head.

SCOPE

- Study MM
- Quick reference book at bed side
- Finding remedy in cases with clinical diagnosis, lack of generals & characteristics, cases with few symptoms

- contain some rubrics, which are not found in other general repertories

- Mistrustful when sick – Lyc

- Negroes – sul

- Critical period of life & pubescence – sep

- Pepper addiction to – nux v

- to find the most appropriate **palliative medicine** in incurable cases
- Help to choose the **next best remedy** using clinical relationship chapter
- **Clinical hints** under certain remedies are very useful

DE-MERITS

- Number of medicines given under each rubric is very few, even in general rubric as compared to other repertories
- There is no grading of remedies, so we cannot find most important remedy for each condition
- Most of the remedies used are rare and the curative effects of which are to be proved

- Many medicines given in sub-rubrics are not included in general rubric.
 - Eg : Asthma – hysterical – Nux mosch.
- This repertory can only be used for quick reference and not for good systematic repertorization.

- Some important **drugs missing**
 - Blood poisoning – Ech, Ars, Lach, Pyr
 - Hepatitis – Act.s, Nat.s
 - Climacteric – Lach
- **Misplaced rubrics**
- **Rubric repetition**
 - Children cross, cross children