



VDE INSULATED SAFETY TOOLS

SPANNERS

›148



NUT DRIVERS

›148



ADJUSTABLE WRENCH

›149



TORQUE WRENCH

›149



SCREWDRIVERS

›149



PLIERS / SIDE CUTTERS

›150



CABLE SHEARS

›152



VOLTAGE TESTER

›152



TOOLSETS

›153



VDE 2 E

VDE SINGLE ENDED RING SPANNERS

deep offset

- Gedore Vanadium steel 31CrV3.
- VDE insulation up to 1000 V, according to EN 60900/IEC 60900, two-ply Check-Tool insulation.



VDE 2 E 19



VDE 2 E 13

Code	No.	l mm	⌀	kg
6036000	VDE 2 E10mm	170	10	0.097
6036190	VDE 2 E11mm	180	11	0.093
6036350	VDE 2 E13mm	190	13	0.130
6036430	VDE 2 E14mm	210	14	0.151
6036780	VDE 2 E17mm	220	17	0.199
6036860	VDE 2 E19mm	240	19	0.244
6037320	VDE 2 E32mm	330	32	0.683

VDE 894

VDE SINGLE OPEN ENDED SPANNERS

- Gedore Vanadium steel 31CrV3.
- VDE insulation up to 1000 V, according to EN 60900/IEC 60900, two-ply Check-Tool insulation.
- Jaw set at 15°.



VDE 894 12



VDE 894 22

Code	No.	l mm	⌀	kg
6572120	VDE 894 10mm	105	10	0.034
6572200	VDE 894 11mm	115	11	0.044
6572470	VDE 894 13mm	135	13	0.067
6572550	VDE 894 14mm	145	14	0.081
6572980	VDE 894 17mm	160	17	0.117
6573010	VDE 894 19mm	175	19	0.161
6574920	VDE 894 32mm	280	32	0.558


VDE 2133

NUT DRIVERS

with 3C handle



- 3-component handles Power-Grip® with hanging hole.
- Ergonomic handle design.
- Head depth 25mm, blade length 125mm.
- VDE insulation up to 1000 V, according to EN 60900/IEC 60900.




Code	No.	l mm	⌀	Head ⌀	kg
1747045	VDE 2133 3	225	3	9	0.109
1747053	VDE 2133 4	225	4	10	0.111
1747061	VDE 2133 5	225	5	11	0.112
1747088	VDE 2133 6	225	6	12	0.114
1747096	VDE 2133 7	235	7	14	0.152
1747118	VDE 2133 8	235	8	15	0.154
1747126	VDE 2133 9	235	9	16	0.154
1747134	VDE 2133 10	245	10	17	0.161
1747142	VDE 2133 11	245	11	19	0.193
1747150	VDE 2133 12	245	12	20	0.196
1747169	VDE 2133 13	245	13	21	0.199
1747177	VDE 2133 14	245	14	22	0.198
1747185	VDE 2133 17	245	17	26	0.222

VDE 2133


NUT DRIVER SET

10 pieces



Code	No.	Contents	kg
1747260	VDE 2133 / 10	2133 5,0 6,0 7,0 8,0 9,0 10,0 11,0 12,0 13,0 14,0	1.30

- Only tools bearing these test symbols are classed as insulated tools.
- VDE insulation as per standard EN60900, IEC/CEI900, VDE0680.
- Safe working in high-voltage areas.
- Up to 1000V alternating current.
- Up to 1500V direct current.



V 62

ADJUSTABLE WRENCH

- > Chrome Vanadium steel 31CrV3.
- > Swedish pattern. Jaw set at 15°.
- > Blackened finish. Ground head.
- > Moulded PVC handle.
- > Insulated up to 1000V.
- > Protective guard.
- > Due to the adjusting knurl not being insulated, this tool is not certified to VDE.



Code	No.	mm	mm	kg
636854	V 62 / 200H*	200	25	0.250
636858	V 62 / 250H	250	30	0.460
636862	V 62 / 300H	300	36	0.700

VDE 4507

TORQUE WRENCH 1/2"

1000 V

5-50 N·m / 4-37 lbf·ft

- > Controlled screw tightening in the most common range of 5 - 50Nm / 4 - 37 lbf·ft.
- > Automatic short-path actuation with tactile impulse and audible signal.
- > Dual scale with a scale graduation of 5Nm and 5lbf·ft.
- > Fine toothed ratchet with square drive as per DIN 3120 - A 12.5, ISO 1174.
- > VDE insulation up to 1000V, according to EN 60900/IEC 60900, two-ply Check-Tool insulation.



Code	No.	mm	mm	mm	kg
6681920	VDE 4507-4	1/2	12.5	370	1.251

VDE 2160 PH

PHILLIPS SCREWDRIVERS



for cross-head screws PH

- > Individually tested, VDE insulation up to 1000 V, acc. to EN 60900/IEC 60900, fully insulated blade
- > Blade tip to DIN ISO 8764-1 PH
- > 3-component handles Power-Grip³ with hanging hole
- > Ergonomic handle design enables precise and fatigue-free working
- > Positive-fit joint of handle and blade for optimum transmission of force
- > Type of drive marked at end of the handle
- > Blade from GEDORE molybdenum-vanadium-Plus tempered steel



Code	No.	mm	mm	mm	kg
1612115	VDE 2160 PH1	M2 - M3	1	180	0.082
1612123	VDE 2160 PH2	M3,5 - M5	2	210	0.119
1612131	VDE 2160 PH3	M5,5 - M7	3	270	0.188

VDE 2170

ELECTRICIAN'S SCREWDRIVERS



1000 V

for slotted head screws

- > Individually tested, VDE insulation up to 1000 V, acc. to EN 60900/IEC 60900, fully insulated blade
- > Tip to DIN ISO 2380-1 form B
- > 3-component handles Power-Grip³ with hanging hole
- > Ergonomic handle design enables precise and fatigue-free working
- > Positive-fit joint of handle and blade for optimum transmission of force
- > Type of drive marked at end of the handle
- > Blade from GEDORE molybdenum-vanadium-Plus tempered steel




Code	No.	mm	mm	mm	kg
1612220	VDE 2170 2,5	2.5		160	0.038
1612247	VDE 2170 3,5	3.5		185	0.055
1612255	VDE 2170 4	4.0		185	0.058
1612271	VDE 2170 5,5	5.5		225	0.095
1612298	VDE 2170 6,5	6.5		260	0.134

VDE 2160-2170

SCREWDRIVER SET

6 pieces



Code	No.	Contents	kg
1616048	VDE 2170-2160 PH 06	⊖ VDE 2170 3.5 4 5.5 6.5 ⊕ VDE 2160 PH1 PH2	660

VDE 8250 H VDE HEAVY DUTY COMBINATION PLIERS

with VDE insulating sleeves

- › For consistent use under tough working conditions.
- › To cut all wire types including piano wire.
- › Good lever action for easy cutting.
- › In heat treated steel as per DIN EN 10083.
- › Oil hardened, chrome plated.
- › Cutting edges inductively rehardened, approximately 64HRC.
- › Handles with VDE dipped insulation as per DIN EN 60900.





Code	No.	l-mm	Weight
1550942	VDE 8250-160 H	160	0.228
1550950	VDE 8250-180 H	180	0.288
1550969	VDE 8250-200 H	200	0.369

VDE 8316 H VDE POWER SIDE CUTTERS

with VDE insulating sleeves

- › For hard wires.
- › Oil hardened, chrome plated.
- › Cutting edges inductively rehardened, approximately 64HRC.
- › Handles with VDE dipped insulation as per DIN EN 60900.



Code	No.	l-mm	Weight
1551000	VDE 8316 - 200 H	200	0.350

VDE 8314 H VDE SIDE CUTTERS

with VDE insulating sleeves

- › With slender head - ideal for confined spaces.
- › For medium-hard wire, 1.6 mm.
- › Cutting edges inductively rehardened, approximately 64HRC.
- › Oil hardened, chrome plated.
- › GEDORE special hardened and tempered steel, chrome plated.
- › Handles with VDE dipped insulation as per DIN EN 60900.




Code	No.	Ø	l-mm	Weight
1552155	VDE 8314-140 H	1.6	140	0.177
1552163	VDE 8314-160 H	1.6	160	0.231

VDE 8098 H VDE STRIPPING PLIERS

with VDE insulating sleeves

- › Opening stop, spring and brass adjusting screw.
- › For cables 0.8 - 6.0 mm².
- › GEDORE special hardened and tempered steel, chrome-plated.
- › Handles with VDE insulation as per DIN EN 60900.




Code	No.	l-mm	Weight
1552074	VDE 8098-160 H	160	0.204

VDE 8099 H VDE STRIPPING PLIERS

with VDE insulating sleeves



- › Self adjusting for wires 0,5-5,0mm².
- › GEDORE special hardened and tempered steel, chrome plated.
- › Handles with VDE insulation as per DIN EN 60900.




Code	No.	l mm	kg
1552082	VDE 8099-160 H	160	0.170

VDE 8120 H VDE FLAT NOSE PLIERS

with VDE insulating sleeves



- › Long, flat jaws and serrated gripping surfaces.
- › GEDORE special hardened and tempered steel, chrome plated.
- › Handles with VDE insulation as per DIN EN 60900.




Code	No.	l mm	kg
1552090	VDE 8120-160 H	160	0.210

VDE 8122 H VDE ROUND NOSE PLIERS

with VDE insulating sleeves



- › Long, round jaws and serrated gripping surfaces.
- › GEDORE special hardened and tempered steel, chrome plated.
- › Handles with VDE insulation as per DIN EN 60900.




Code	No.	l mm	kg
1552104	VDE 8122-160 H	160	0.180

VDE 8132 AB H VDE BENT NOSE TELEPHONE PLIERS

with VDE insulating sleeves, angled pattern



- › Long, flat jaws and angled gripping surfaces.
- › Face hardness approximately 62HRC.
- › GEDORE special hardened and tempered steel, chrome plated.
- › Handles with VDE insulation as per DIN EN 60900.



Code	No.	l mm	kg
1552139	VDE 8132AB-160 H	160	0.150
1552147	VDE 8132AB-200 H	200	0.210


VDE 8132 H

VDE TELEPHONE PLIERS



with VDE insulating sleeves, straight pattern

- › Long, flat jaws and straight gripping surfaces.
- › Face hardness approximately 62HRC.
- › GEDORE special hardened and tempered steel, chrome plated.
- › Handles with VDE insulation as per DIN EN 60900.




Code	No.	l mm	kg
1552112	VDE 8132 - 160 H	160	0.150
1552120	VDE 8132 - 200 H	200	0.210

V 180

CABLE SHEARS

1000 V

- › Cuts cable up to 27mm, solid material up to 200 mm².
- › Individually tested, insulation up to 1000V.



Code	No.	l mm	kg
6430330	180-23	620	2.12

VDE 4522

CABLE KNIFE



- › Strong, straight blade made from hardened and tempered steel.
- › Tough, resilient plastic handle.
- › With VDE insulation as per DIN EN 60900.



Code	No.	l mm	kg
6690400	VDE 4522	180	0.104


V 4614 PLUS

VOLTAGE TESTER 1000 V



two-pole with LED display

- › AC and DC voltages from 12-690V.
- › Acoustic continuity testing up to 500KOhm.
- › Single pole phase testing > 100VAC.
- › With VDE insulation as per DIN EN 60900.
- › Twin-pole with LED display.
- › 2x batteries type AAA.
- › Integrated LED torch (white).
- › Automatic on/off function.
- › Protection classification IP65, dust-proof, hose-proof.
- › Safety outlet and CEE one-hand operation.
- › Displays polarity in case of direct current (DC).




Code	No.	kg
2241137	V 4614	0.270

ELECTRICIAN'S TOOLSET

37 pieces

- › Double stitched and bound.
- › Very durable water repellent inner lining.
- › Heavy duty zip.
- › Reinforced inners.



Code	No.	1B Spanners	42-88M Allen Keys	VDE Screwdrivers
668122	Electrician's Tool Set	8 10 13 17 19	2 2,5 3 4 5 6 8 10	160PHS 1x80 2x100 3x150 170ELS 0.5x3x100 0.8x4x100 1.2x6.5x150


VDE Nut Drivers	No.	Accessories	
2133	4 6 8 10 13	Electrician's Toolcase VDE 8098-160H Stripping Pliers VDE 8250-200H Combination Pliers VDE 8314-160H Side Cutters VDE 8132-200H Telephone Pliers 137-175 Grip Pliers V62-250 Shifting Spanner	145-250 Waterpump Pliers 9930.000 Torch 9534.05 Tape Measure VDE 4522 Cable Knife Digital Multimeter 8601-300 Ball Pein Hammer
			6.10

1100-1094

VDE TOOL ASSORTMENT HYBRID

53 pieces

- › Perfect range of tools for all vehicle types.
- › Comes in Gedore L-BOXX®



Code	No.	Contents	
2979063	1100-1094	VDE 30 6 8 9 10 11 12 13 14 15 16 17 18 19 20 22 VDE INX 30 8 10 12 VDE 3090-3 3093-6 VDE 3093-U VDE 2170 2,5 3,5 4 5,5 VDE 2160 PH1 2 3 VDE 2163 TX T20 T25 T30 VDE 8094	VDE 146 10 VDE 8250-200H VDE 8314-180H VDE 8132 AB-200H VDE 8120-160H VDE 4522 V914 1 2 3
			8.04

VDE 1001
VDE TOOLSET

14 pieces

- › With practical foam insert in sturdy PVC case.
- › Dimensions: 395 x 295 x 106mm.
- › Cranked allen socket screwdriver no. 42 is for locking the adjusting screw of extension no. VDE 1990, not VDE insulated.




Code	No.	Allen Keys	Sockets	Accessories	
6602560	1001 VDE Toolset	42 2,5	VDE 19 10 12 13 14 17 19 22 24	VDE 1993 U VDE 1990-5 -10 VDE 1989 T VDE 2170 5,5	3.40

VDE 1101-003
VDE TOOLSET

8 pieces in i-BOXX® 72

- › In Gedore i-BOXX® 72, with transparent cover for easy view of tools.
- › Dimensions: 367 x 316 x 72mm.



NEW



Code	No.	Contents	
1828045	1101-003	VDE 8132-200H VDE 8250-180H VDE 8314-160H	VDE 2170 4 5,5 VDE 2160 PH1 PH2 VDE 4615 3
			2.00