Medicine – Yarmouk University

Endocrine System / Final Exam Elixir Batch

(81 questions out of 90 questions)

1.Somatostatin:

inhibit both glucagon and insulin

2. A drug for hypoparathyroidism:

calcium carbonates

3. The drug of choice to treat acromegaly:

pegvisomant

4. All of the following are true except:

Exenatide acts as GLP1 antagonist

5. Contraindicated drug for patient with diabetic ketoacidosis:

Biguanides

6. Not indicated in ovulation tratment:

menotropin is given 3times/week

7. Case: Peptic ulcer, hypercalcemia, galactorrha:

MEN1 syndrome

8. All of the following are side effects of Glucocorticoids, except:

hypercalcemia (these drugs causes hypocalemia which leads to osteoporosis)

9. All of the following are true except:

30% of glucagon are metabolized by conjugation to serine and cysteine

10. Does not have four rings in its structure:

vitD3

11. Does not inhibt insulin:

Ach

12. All of the following are true except:

loss of diurnal variation in secretion of cotrisol is *preserved* in cushing syndrome and in patients under stress

13. All of the following are true except:

Anorexia nervosa lowers GH

14. True about NB:

high VMA in urine

15. All of the following are risk factors for DM2, except:

- -obesity
- -hypertension
- -family history
- -Habitual physical inactivity
- ++congintal prediposition

16. All of the following are true except:

total deaths from diabetes are projected to rise by 100% in the next 10 years.

17. All of the following are true except:

BMI and obesity lead to some *communicable* diseases

18. In controlling obesity, All of the following are true except:

shift from unsaturated to saturated fat

19. Treat hyperprolactemia:

Bromocriptine

20. Stalk effect will not lead to:

inability to lactation

21. About Eplerenone drug, all of the following are true except:

can cause gyncomastia

22. Case: Hypoglycemia, hyperinsulinemia, pancreatic mass, why he couldn't control his hypoglycemia?

Inhibition of glucagon

23. All of the following are true except:

advanced Glycation End products lead to direct effect on tissue damage

24. All of the following are true except:

Ovarian granulosa cells convert Estradiol to testosterone

25. Calcium exerts its effect in synthesis and secretion of PTH by binding to:

transmembrane receptor with Gs-protein signal pathway

26. Action by cGMP:

nitric oxide

27. D3 is converted to 1,25(OH)2D3 by serious of enzymatic reactions in:

kidney and liver

28. All of the following are true except:

the center of adrenal gland is known as zona fasiculata.

29. Aldosterone is secreted by:

zona granulosa

30. True:

- -Epinephrine and thyroid hormones have the same effect on the metabolism and blood pressure
- norepinephrine is found 4 times more than epinephrine
- ++ T-hydroxylase is the rate limiting enzyme in synthesis of E and NE

31. Not a hormone:

neurophysin

32. Not produced by pituitary basophilic cells: GH

33. Not one of the hypophysiotropic hormones: GH

34. Comatosed patient has to have thirst, polyurea, protinuria, no ketouria:

non insulin dependent DM

35. Case: A girl with Purpura, pharyngitis, hypoglycemia, hypotension, hyponatremia, hyperkalemia:

N.menigiditis

36. Case: Change in facial appearance, increased shoe size:

acromegaly

37. Adrenal gland develops from:

both mesoderm and ectoderm

38. Not a test for adrenal insufficiency:

clonidine test

39. All of the following are true except:

Desmopressin is administrated intranasally, and vasopressin orally

40. To facilitate delivery:

oxytocine

41. All of the following are true except:

estrogen decreases uterus sensitivity for oxytocine

42. levothyroxine dose for healthy person with hypothyroidism:

50-100 mcg/day

43. Propythiouracil is used for:

Hyperthyroidism

44. True:

fatty acid side chain gives long acting insulin its properties

45. Androgen reduction to form testosterone can occur in Adrenal gland:

true

46. True:

alpha subunit disassociate from the complex with GTP

47. How many second messengers cAMP are required to release Regulator molecule for the catalytic molecules in PKA?

2 for one regulator / 4 for 2 regulators

48. case: a child with bone deformity, low vitamin D3, hypocalcemia, what is the most significally impaired:

increased parathyroid hormone

49. Treat pregnant women who has Cushing syndrome by:

Metyrapone

50. ADH acts on kidney cells by:

increase water channels in the luminal membrane

51. Determinant of the concentration of a hormone at the target tissue; all are true except:

- -Rate of hormone synthesis and secretion
- -position of target cell
- -binding to plasma proteins
- ++Rate of hormone Phosphorylation in the circulation

52. Case: Patient with digeorge syndrome, what is the cause of the crams and grimacing? hypocalcemia

53. FIRST thing we see to determine the type of a given thyroid neoplasm:

capsular and vascular invasion

54. Most common cause of hypothyroidism:

Hashimoto thyroiditis

55. All of the following are leading causes of death in DM patients except:

polyneuropathy

56. Case: symmetrical diffuse neck enlargement:

simple goiter

57. True:

left laryngeal branch of vagus nerve ascend at the level of arch of aorta

58. All of the following are true about thymus except:

developed from the 4th pharyngeal pouch

59. GH receptor:

needs dimerization to act effectively

60. Case: 6 years old boy with signs of puberty and large penis:

cortical hyperplasia

61. true about pituitary adenoma:

Mammosomatotrophic adenoma is the most common type of the combined adenoma

62. Case: less fertility, loss of lateral visual field:

gonadotrophic cell adenoma

63. Does not act by cAMP:

TRH

64. ACTH:

peptide hormone

65. insulin does not:

increase ketosis

66. Glucocorticoids treat all of the following except:

- -asthma allergy
- -inflammations
- -respiratory distress syndrome
- -dermatitis
- ++mycosis

67. cortisol:

delayed wound healing

68. All of the following are true about Anaplastic carcinoma except:

occur in younger aged women

69. Most common cause of symptomatic hyperglycemia:

Bone metastasis

70. ACTH deficiency greatly diminish:

Glucocorticosteroids

71. Hypothalamus hormones has less effect on:

Adrenal medulla

72. All of the following are related to hyperaldosteronism except:

Renin is responsible of escape phenomena

73. All of the following are true except:

Pancrease lies anteriorly to the stomach

74. Aldosterone synthase (18-hydroxylase) presents in:

Zona Granulosa

75. All of the following are true except:

injection of insulin in the same site will accumulate the fat in that area, and this is known as *lipoatrophy* effect.

76. All of the following are FALSE except:

Humilin R is the most effective in treatment of DKA

77. Chromaffin cells are found in:

Suprarenal gland

78. Not a risk factor in DM:

- -Pulmonary TB
- ++Pancreatic carcinoma

79. cGMP induces intercellular signal pathway:

False

80. All of the following are true about conn disease except:

60% bilateral hyperplasia

81. Hormones concentration in the blood:

Nano or less

Sorry for any mistake

GOOD LUCK

Collected by:

Ameera Mazen Mousa / Elixir Batch

(: دعواتكم