

ش1 (MED 410) طب مجتمع

Home / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Time left 0:28:46

8
ed
d out of

Framingham heart study was a clinical trial aimed at exploring the risk factors of cardiovascular diseases.

Select one:

True

False

Next page

You are logged in as [... \(log out\)](#)





Module Exam System English (en)

ش1 (MED 410) طب مجتمه

/ My courses / ش1 (MED 410) طب مجتمه (1) / Topic 2 / Final exam M410

Which health program planning framework was designed for population health?

- a. CDCynergy.
- b. Precede-proceed.
- c. Both MATCH and CDCynergy.
- d. MATCH.

[Clear my choice](#)

ش1 (MED 410) طب مجتمع

Dashboard / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Time left 0:19:17

Question 16

Not yet answered

Marked out of 1.0

An example of health education ...

- a. An individual decided to exercise daily to stay in good shape.
- b. An individual with hypertension followed DASH diet to avoid further complications.
- c. An individual decided to exercise daily to stay healthy.
- d. An individual stopped smoking after knowing the harm caused by smoking behavior.

Clear my choice

Next page

You are logged in as رناد يوسف محمد الطوي . (Log out)



The most common cancer among females in Jordan is:

- Leukemia
- Colorectal cancer
- Breast cancer
- Lung cancer

[Clear my choice](#)

ش1 (MED 410) طب مجتمع (1)

Dashboard / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Question 9
Not yet answered
Marked out of 1.0

An example of health promotion...

- a. An individual with hypertension followed DASH diet to avoid further complications.
- b. An individual decided to exercise daily to stay healthy.
- c. An individual stopped smoking after knowing the harm caused by smoking behavior.
- d. An individual decided to exercise daily to stay in good shape.

Clear my choice

Time left 0:27:23


Quiz navigation

1	2	3
10	11	12
19	20	21
28	29	30

Finish attempt

Next page

You are logged in as تاد يوسف محمد العشي . (Log out)



Tr

About tobacco consumption and smoking in Jordan, which statement is incorrect according to latest statistics?

- More than eight out of 10 men smoke or regularly use nicotine products including e-cigarettes
- About 17 per cent of Jordanian women are smokers
- About 56 per cent of the tobacco-related deaths are among people below the age of 50.
- About 78.8 per cent of adults are exposed to secondhand smoking

Time left 0:20:37


During program objectives writing- (Something we can't measure we can't control) quote means ...

- a. Measurable objectives aid in seeing the real situation of the program over time.
- b. Indicators aid in program process, impact, and outcome evaluation.
- c. We must choose measurable objectives (has an indicators).
- d. All are correct.

Clear my choice

Next page

you are logged in as محمد ايمن احمد الراشدية (Log out)
ش 1 ED 410
Get the mobile app



DELL



Time left 0:21:15

Question **3**

Not yet answered

Marked out of 1.0

Framingham heart study contribute to discovering hundreds of new genes underlying major heart disease risk factors. body mass index, blood cholesterol, cigarette smoking, blood pressure, and diabetes.

Select one:

True

False

Next page

Quiz n

1	2
10	11
19	20
28	29

Finish atte

You are logged in as **يوسف اسماعيل سليمان الحلو** (Log out)

ش 1 MED 410

[Get the mobile app](#)

Activate Windows

Go to Settings to activate Windows

2

it of

During this phase of outbreak investigation, the health department staff should quickly become "experts" in the disease:

- Control phase
- Descriptive Phase
- Explanatory Phase
- Response Phase

Clear my choice



Time left 0:20:10

Which health program planning framework was designed for population health?

- a. MATCH.
- b. Precede-proceed.
- c. CDCynergy.
- d. Both MATCH and CDCynergy.

[Clear my choice](#)

[Next page](#)

Qu

1

10

19

28

Finish

Time left 0:17:14

Question 9
Not yet answered
Marked out of 1.0

During this phase of outbreak investigation, the health department staff use the information they collected in the previous phase to develop hypotheses about the cause of the outbreak:

- Control phase
- Response Phase
- Explanatory Phase
- Descriptive Phase

Clear my choice

Quiz navigation

1	2	3	4	5
10	11	12	13	14
19	20	21	22	23
28	29	30		

Finish attempt ...

Not yet answered

Marked out of 1.0

Framingham heart study was a clinical trial aimed at exploring the risk factors of cardiovascular diseases

Select one:

True

False

Quiz navigation

Time left 0:19:40

Descriptive epidemiology is essential for "characterizing the outbreak" by time, place, and person, but has little bearing on the analytic epidemiology

Select one:

True

False

Next page

Time left 0:16:47

Question **10**

Not yet answered

Marked out of 1.0

The most common cancer among females in Jordan is:

- Breast cancer
- Colorectal cancer
- Lung cancer
- Leukemia

[Clear my choice](#)

Qu
1
10
19
28
Finish

Models and frameworks are used to ..

- a. Determine what factors to evaluate for in the program.
- b. Determine what strategies to be used in the program.
- c. Set the program goals.
- d. Guide the development of certain programs.

[Clear my choice](#)

Time left 0:23:22

The criteria for case definition should be objective, simple, accurate, practical and measurable where possible.

Select one:

True

False

Next page

You are logged in as [عاصم ادريس فالح الصوملي](#) (Log out)

ش 3 MED 410

[Get the mobile app](#)

About tobacco consumption and smoking in Jordan, which statement is incorrect according to latest statistics?

- About 17 per cent of Jordanian women are smokers
- More than eight out of 10 men smoke or regularly use nicotine products including e-cigarettes
- About 78.8 per cent of adults are exposed to secondhand smoking
- About 56 per cent of the tobacco-related deaths are among people below the age of 50.

Clear my choice

Unknown disease associated with food served at a restaurant needs:

- Low priority of control and high priority for investigation
- Higher priority of investigation only
- Low priority of investigation and high priority for control
- Higher priority of both investigation and control

[Clear my choice](#)

Time left 0:16:25

Outbreak investigation is needed even when ill persons are not able to provide adequate information for investigation

Select one:

True

False

Next page

Time left 0:14:09

Question 11

Not yet answered

Marked out of 1.0

Mental wellbeing health promotion programs elements are ...

- a. Personality traits.
- b. Coping behaviors.
- c. All are correct.
- d. Positive emotions.

Clear my choice

Next page

Quiz navigation

1	2	3	4	5	6
10	11	12	13	14	15
19	20	21	22	23	24
28	29	30			

Finish attempt ...

You are logged in as **مجاهد الدين جاسم محمد ادعيم**. (Log out)

TOSHIBA

Major phases in the precede-proceed model are ..

- a. Planning and evaluation.
- b. Policies and action pack development.
- c. Strategies and interventions.
- d. Implementation and evaluation.

[Clear my choice](#)



[Next page](#)

Marked out of 10

The criteria for case definition should be objective, simple, accurate, practical and measurable where possible.

Select one:

True

False



Next page

Show all

ش1 (MED 410) (طب)

courses / 1) (طب مجتمع) (MED 410) ش1 / Topic 2 / Final exam M410

Models and frameworks are used to ..

- a. Determine what factors to evaluate for in the program.
- b. Guide the development of certain programs.
- c. Determine what strategies to be used in the program.
- d. Set the program goals.



ش1 (MED 410) طب مجتمع (1)

Dashboard / My courses / (1) طب مجتمع (MED 410) / Topic 2 / Final exam M410

Question 21

Not yet answered

Marked out of 1.0

Health program policies help in ...



- a. Specifying individual responsibilities and rights.
- b. Specifying organizational responsibilities and duties.
- c. All are correct.
- d. Specifying the program operating rules.

Clear my choice

Time

Next

You are logged in as محمد الطيبي . (Log out)



am System English (en) ▾

ش 1 (MED 410) طب

courses / (1) طب مجتمع (MED 410) ش 1 / Topic 2 / Final exam M410

S-M-A-R-T mnemonic or abbreviation for writing a program objectives sta

- a. Seriousness, morbidity rate, advances, realistic, timely.
- b. Specific, measurable, attainable, realistic, and timely.
- c. Non is correct.
- d. Specific, measurable, actions, rarity, and time-bounded.

[Clear my choice](#)

are logged in as [فرايت عاطف لطفي حصاونو](#) (Log out)

ش 1 410 D

[the mobile app](#)



Time left

4
of
The age standardized incidence rate of cancer (all sites) among males in Jordan **per 100,000 population** is:

- 431
- 138.4
- 132.8
- 110

Clear my choice

N

An example of health education ...

- a. An individual stopped smoking after knowing the harm caused by smoking behavior.
- b. An individual decided to exercise daily to stay healthy.
- c. An individual decided to exercise daily to stay in good shape.
- d. An individual with hypertension followed DASH diet to avoid further complications.

[Clear my choice](#)

[Next page](#)

ش 1 (MED 410) طب مجتمع

ش 1 (MED 410) طب مجتمع / Topic 2 / Final exam M410

Question 9
Not yet answered
Marked out of

Macro-intervention tackle (try to solve) health problem from ...

- a. Social level.
- b. Individual level.
- c. Population level.
- d. Organizational level.

You are logged in as محمد ماسون محمد يوسف هادي (Log out)
Type here to search



Question **6**
Not yet answered
Marked out of 1.0

In order to establish health program priorities, we evaluate health problems by two factors ..

- a. Problem prevalence and consequences.
- b. Available resources and funds.
- c. Problem importance and feasible solution.
- d. Cultural perspectives and acceptance.

Clear my choice

Quiz navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
29	30																								

Time

0

t of


In order to establish health program priorities, we evaluate health problems by two factors ..

- a. Problem importance and feasible solution.
- b. Available resources and funds.
- c. Problem prevalence and consequences.
- d. Cultural perspectives and acceptance.

Clear my choice

Ne

You are logged in as زاد يوسف محمد العلي . (Log out)



ش1 (MED 410) طب مجتمع

My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Time left 0:17:17

18

out of


Framingham heart study contribute to discovering hundreds of new genes underlying major heart disease risk factors. body mass index, blood cholesterol, cigarette smoking, blood pressure, and diabetes.

Select one:

True

False

Next page



Question **14**

Not yet
answered

Marked out of
1.0

The most common cancer among females in Jordan is:

- Breast cancer
- Colorectal cancer
- Leukemia
- Lung cancer

[Clear my choice](#)

ش 1 (MED 410) طب م

courses / (1) طب مجتمع (MED 410) ش 1 / Topic 2 / Final exam M410

Health indicators are used to (choose the best answer that explains it all) ...

- a. Available resources.
- b. Measure health status.
- c. Measure clinical care quality.
- d. Measure people's religiosity level.

on

4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	:
29	30															

Question 17

Not yet answered


Marked out of 1.0

RE-AIM framework is used for ..

- a. Program development.
- b. Program evaluation.
- c. Program funding.
- d. Program planning.

[Clear my choice](#)

You are logged in as [رناد يوسف محمد الطيبي](#) (Log out)





Time left 0:19:02

Question **13**

Not yet answered

Marked out of 1.0

Unknown disease associated with food served at a restaurant needs:

- Higher priority of both investigation and control
- Higher priority of investigation only
- Low priority of control and high priority for investigation
- Low priority of investigation and high priority for control

[Clear my choice](#)[Next page](#)

ش1 (MED 410) طب مجتمع 1)

Dashboard / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Time left 0:15:58

Question 19

Not yet answered

Marked out of 1.0

Outbreak investigation is needed even when ill persons are not able to provide adequate information for investigation

Select one:

True

False

Next page

You are logged in as نجاد يوسف محمد العطار (Log out)



ش 1 (MED 410) طب مجتمع (1)

Dashboard / My courses / (1) طب مجتمع (MED 410) / Topic 2 / Final exam M410

Time left 0:29:53

Question 4

Not yet answered

Marked out of 1.0

The criteria for case definition should be subjective, simple, accurate, practical and measurable where possible.

Select one:

True

False

Next page

You are logged in as هتم اراهيم عادل العرابه (log out)



ش1 (MED 410) (طب مجتمع 1)

Dashboard / My courses / ش1 (MED 410) (طب مجتمع 1) / To
/ Final exam M410

Time left

Question 16

Not yet answered

Marked out of 1.0

Case finding may be found with both passive and active strategies but in an outbreak, it is imperative to use active case finding methods

Select one:

True

False



Time left 0:22:34

Question 6

Not yet
answered

Marked out of
1.0

Mental wellbeing health promotion programs elements are ...

- a. Positive emotions.
- b. Coping behaviors.
- c. Personality traits.
- d. All are correct.

[Clear my choice](#)

[Next page](#)

ش 1 (MED 410) طب مجتمع

د / My course / ش 1 (MED 410) طب مجتمع / Topic 2 / Final exam M410


8

Which health program planning framework was designed for population health?

- a. Precede-proceed.
- b. Both MATCH and CDCynergy.
- c. CDCynergy.
- d. MATCH.

[Clear my choice](#)

Type here to search





/ Final exam M410

Time left

Question **15**

Not yet answered


Marked out of 1.0

An example of health promotion...

- a. An individual decided to exercise daily to stay in good
- b. An individual stopped smoking after knowing the harm by smoking behavior.
- c. An individual with hypertension followed DASH diet to further complications.
- d. An individual decided to exercise daily to stay healthy.

[Clear my choice](#)


Quiz navigation



Low health literacy may result in misunderstanding medical information.

- a. True.
 b. False.

[Clear my choice](#)



ش1 (MED 410) طب مجتمعي

My courses / (1) طب مجتمعي (MED 410) ش1 / Topic 2 / Final exam M410

Time left 0:23:26

Which health program planning framework uses marketing strategies?

- a. Both MATCH and CDCynergy.
- b. CDCynergy.
- c. Precede-proceed.
- d. MATCH.

[Clear my choice](#)

[Next page](#)

DELL

ش1 (MED 410) طب مجتمع

rd / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Time left 02:28

4

out of

A study looking at breast cancer in women compared cases with non-cases, and found that 75/100 cases did not use calcium supplements compared with 25/100 of the non-cases. Calculate the odds ratio for receiving calcium supplement.

- 12
- 8
- 9
- 6

Next page

are logged in as محمد ايمن احمد الراشدة (log out)



DELL



Time left 0:21:48

Question 12
Not yet
answered
Marked out of
1.0

The first step in program implementation is ...

- a. Program installation.
- b. Initial and preliminary operations.
- c. Sustainability and maintenance.
- d. Exploration and pilot studying.

Clear my choice

Next page

You are logged in as **عامر بنو عامر**. (Log out)

Time left 0:22:00

Question **7**

Not yet
answered

Marked out of
1.0

Based on the Health Believe Theory, the most vital factor that could predict whether an individual will change his behavior or not is ..

- a. Net benefit analysis: perceived benefits minus perceived barriers.
- b. Self-efficacy.
- c. Perceived severity.
- d. Perceived susceptibility.

[Clear my choice](#)



The first step in program implementation is ...

- a. Program installation.
- b. Exploration and pilot studying.
- c. Sustainability and maintenance.
- d. Initial and preliminary operations.

[Clear my choice](#)

Question 5
yet
wered
ked out of


A study looking at breast cancer in women compared cases with non-cases, and found that 75/100 cases did not use calcium supplements compared with 25/100 of the non-cases. Calculate the odds ratio for receiving calcium supplement.

- 6
- 12
- 8
- 9

[Clear my choice](#)

1	2
10	11
19	20
28	29

[Finish attempt](#)



Question 14
Not yet answered
Marked out of 1.0

Capacity assessment or capacity building mainly include ...

- a. Individual empowerment, what we have and what we need.
- b. Resources: what we have and what we need.
- c. Social justice.
- d. Individual behaviors.

Clear my choice

Next page

Quiz navigation

2	3	4	5	6	7
8	9	10	11	12	13
14					

Birmingham

... his personal ...
... the President ...
... he has all the ...
... of the article ...
... a few more ...

... predicted. Room ...
... 1945

ش1 (MED 410) طب مجتمع)

board / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410


Question 12


Not yet answered
Marked out of 1.00

The prevalence of childhood obesity (9-18 yrs) in Jordan is:

- 9%
- 12%
- 19%
- 17%

[Clear my choice](#)





PEARL model is used to ...

- a. Measure community acceptance level of intervention.
- b. Help to decide which intervention to use in the program.
- c. Assess available resources for the program.
- d. The legality of the intervention.

[Clear my choice](#)

Case finding may be found with both passive and active strategies, but in an outbreak, it is imperative to use passive case finding methods

Select one:

True

False



Next page

ش1 (MED 410) طب مجتمع

ard / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

5

it
ired
ed out of

Health communication is defined as the approach to ...

- a. All are correct.
- b. Engage individuals and communities.
- c. Reach the different audiences and share related health information.
- d. Influence individuals and communities.

[Clear my choice](#)

Type here to search

II



F2

F3

F4

F5

F6

F7

F8

F9

@

#

\$

%

^

&

*

2

3

4

5

6

7

8

Not yet answered

Marked out of 1.0

Logic model and Gantt chart are tools used for ...

- a. Moving plan into actions.
- b. Planning.
- c. Outcome monitoring.
- d. Define program time.

[Clear my choice](#)

Question 1
Not yet
answered
Marked out of
1.0

Changing the population behaviors relies heavily on ...

- a. Mass media and health communication.
- b. All are correct.
- c. Social marketing strategies.
- d. Community engagement and participation.

[Clear my choice](#)

How can social-behavioral theories help you plan an effective health promotion p

- a. Through a deep understanding of factors that affect human behaviors.
- b. Through a deep understanding of program needs.
- c. Through a deep understanding of community needs.
- d. Through a deep understanding of public health authority's goals.

[Clear my choice](#)

ش1 (MED 410) طب مجتمع

ard / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M

3

out of

The most common cancer among males in Jordan is:

- Colorectal cancer
- Prostate cancer
- Lung cancer
- Leukemia

[Clear my choice](#)

ype here to search



Question 4
Not yet
answered
Marked out of
1.00

Why is advocacy an essential element in program implementation?

- a. Increasing the program outreach.
- b. Raising awareness.
- c. All are correct.
- d. Increasing the program acceptance.

[Clear my choice](#)

ش1 (MED 410) طب مج

My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Time left 0:30:04

Both Social cognitive and Social network theory relies on ...


- a. Individual characteristics.
- b. The surrounding physical environment.
- c. Rules and policies.
- d. Relationship quality between individuals.

Clear my choice

Next page

ged in as محمد ايمن احمد الرواشدة (Log out)

ش
bile app



DELL



Question 3

Not yet answered

Marked out of 1.0

(Changing individual behaviors by changing their beliefs, perceptions, and values) - What is the theory?

- a. The trans-theoretical model and stages of change.
- b. The health belief model,
- c. The theory of reasoned action, and
- d. The theory of planned behavior,

[Clear my choice](#)



[Next page](#)

Quiz navigation

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Based on the Health Believe Theory, the most vital factor that could pre his behavior or not is ..

- a. Self-efficacy.
- b. Perceived susceptibility.
- c. Net benefit analysis: perceived benefits minus perceived barriers.
- d. Perceived severity.

Clear my choice

Marked out of 1.0

The main goal of Health communication approaches is to, except ...

- a. Engage individuals and communities.
- b. Reach the different audiences and share related health information.
- c. Influence individuals and communities.
- d. Supporting individuals and communities.

Community.pdf

Show all



Question 1

Not yet
answered

Marked out of
1.0

Models and frameworks are used to ..

- a. Determine what factors to evaluate for in the program.
- b. Set the program goals.
- c. Guide the development of certain programs.
- d. Determine what strategies to be used in the program.

[Clear my choice](#)

Quiz navigation


2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
30																				

n 3
ed
d out of

If a person had metabolic syndrome without diabetes mellitus, his **cardiovascular** risk is increased bytimes compared to those persons with no risk factors:

- 1.7
- 2.7
- 5.6
- 3.6

[Clear my choice](#)



Question **6**

Not yet
answered

Marked out of
1.0

Logic model and Gantt chart are tools used for ...

- a. Define program time.
- b. Planning.
- c. Moving plan into actions.
- d. Outcome monitoring.

[Clear my choice](#)

Time left 0:25:39

A study looking at breast cancer in women compared cases with non- cases, and found that 75/100 cases did not use calcium supplements compared with 25/100 of the non-cases. Calculate the odds ratio for receiving calcium supplement.

- 6
- 8
- 9
- 12

Next page

ش1 (MED 410) طب مجتمع

ard / My courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Time left 0:28:46

n 8
ed
d out of

Framingham heart study was a clinical trial aimed at exploring the risk factors of cardiovascular diseases

Select one:

True

False

Next page

You are logged in as رزان يوسف محمد الطي (Log out)



ش1 (MED 410) طب م

courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410


Time left 0:26:45

Descriptive epidemiology is essential for "characterizing the outbreak" by time, place, and person, but has little bearing on the analytic epidemiology

Select one:

- True
- False

Next page



ش1 (MED 410) طب م

courses / (1) طب مجتمع (MED 410) ش1 / Topic 2 / Final exam M410

Based on the Health Believe Theory, the most vital factor that could predict whether his behavior or not is ..

- a. Net benefit analysis: perceived benefits minus perceived barriers.
- b. Perceived susceptibility.
- c. Self-efficacy.
- d. Perceived severity.

[Clear my choice](#)

Question 8


Not yet
answered

Marked out of
1.0

Social marketing elements are ..

- a. The social web, physical environment, social determinants, and medical care.
- b. Product, price, place, and promotion.
- c. Individual, family, friends, and organizations.
- d. Intra-personnel, inter-personnel, community, population.

[Clear my choice](#)



Time left 0:29:4


Case finding may be found with both passive and active strategies, but in an outbreak, it is imperative to use passive case finding methods

Select one:

True

False

Next page






Question **6**
Not yet answered
Marked out of 1.0

Time left 0:26:09

About tobacco consumption and smoking in Jordan, which statement is incorrect according to latest statistics?

- About 17 per cent of Jordanian women are smokers
- About 56 per cent of the tobacco-related deaths are among people below the age of 50.
- More than eight out of 10 men smoke or regularly use nicotine products including e-cigarettes
- About 78.8 per cent of adults are exposed to secondhand smoking

 Clear my choice

1	2
10	11
19	20
28	29

Finish attempt

Next page

The main goal of Health communication approaches is to, except ...

- a. Supporting individuals and communities.
- b. Reach the different audiences and share related health information.
- c. Influence individuals and communities.
- d. Engage individuals and communities.

[Clear my choice](#)



Question 5

Not yet answered

Marked out of 1.0

The most common cancer among males in Jordan is:

- Prostate cancer
- Lung cancer
- Colorectal cancer
- Leukemia

[Clear my choice](#)

[Next p](#)

Health communication is defined as the approach to ...

- a. Reach the different audiences and share related health information.
- b. Engage individuals and communities.
- c. Influence individuals and communities.
- d. All are correct.

[Clear my choice](#)

Question **4**

Not yet
answered

Marked out of
1.0

The first step in program implementation is ...

- a. Initial and preliminary operations.
- b. Sustainability and maintenance.
- c. Exploration and pilot studying.
- d. Program installation.

[Clear my choice](#)



ش1 (MED 410) طب م

y courses / (1) طب مجتمع (MED 410) / Topic 2 / Final exam M410

S-M-A-R-T mnemonic or abbreviation for writing a program objectives stand for ...

- a. Specific, measurable, actions, rarity, and time-bounded.
- b. Seriousness, morbidity rate, advances, realistic, timely.
- c. Non is correct.
- d. Specific, measurable, attainable, realistic, and timely.

[Clear my choice](#)

You are logged in as رناد يوسف محمد الطلي . (Log out)



MED 410)

ش 1 (MED 410) طب مجتمع (1)

Dashboard / My courses / ش 1 (MED 410) طب مجتمع (1) / Topic 2 / Final exam M410

Time left 0:34:11

Question **1**
Not yet answered
Marked out of 1.0

An essential step/s in all program planning frameworks is/are ..

- a. Evaluation.
- b. All are correct.
- c. Implementation.
- d. Research.

Clear my choice

Next page

Quiz navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30						

Finish attempt ...

طب (MED 410)

(log out)

Health literacy is (choose the best answer that explains it all) ...

- a. The degree by which an individual comply with his treatment regime.
- b. The degree by which an individual follows the physician's instructions.
- c. The degree by which individuals understand, process, and obtain basic health information.
- d. The degree by which an individual can make clinical decisions.

[Clear my choice](#)

شرا 1 (MED 410) طب

ses / (1) طب مجتمع (MED 410) شرا 1 / Topic 2 / Final exam M410

Time left 0:33:11

The prevalence of childhood obesity (9-18 yrs) in Jordan is:

- 9%
- 12%
- 19%
- 17%

Clear my choice

Next page

Quiz navigation

1	2
10	11
19	20
28	29

Finish attempt

Time left 0:30:01

Question **5**

Not yet
answered

Marked out of
1.0

The first step in program implementation is ...

- a. Exploration and pilot studying.
- b. Initial and preliminary operations.
- c. Program installation.
- d. Sustainability and maintenance.

[Clear my choice](#)

[Next page](#)

Quiz navigation

1	2	3	4	5	6
10	11	12	13	14	15
19	20	21	22	23	24
28	29	30			

Finish attempt

es
طب (MED 410)

Question 3

Not yet answered

Marked out of 1.0

Time left 0:33:00

RE-AIM framework is used for ..

- a. Program planning.
- b. Program development.
- c. Program funding.
- d. Program evaluation.

[Clear my choice](#)

[Next page](#)

You are logged in as حمزة ماهر شقبة, الموملة. (Log out)

Time left 0:29:46

Question **6**
Not yet answered
Marked out of 1.0

A key element for capacity building is (choose the best answer that explains it all) ...

- a. Empowerment.
- b. Social equity.
- c. Change individual behavior.
- d. Social justice.


[Clear my choice](#)

[Next page](#)

Quiz navigation

1	2	3	4	5	6	7	8
10	11	12	13	14	15	16	17
19	20	21	22	23	24	25	26
28	29	30					

Finish attempt ...



Module Exam System English (en) ▾

ش1 (MED 410) طب مجتمه

/ My courses / (1) طب مجتمه (MED 410) ش1 / Topic 2 / Final exam M410

Which health program planning framework was designed for population health?

- a. CDCynergy.
- b. Precede-proceed.
- c. Both MATCH and CDCynergy.
- d. MATCH.

[Clear my choice](#)

Section 2
not yet
answered
marked out of

Time left 0:32:32

During this phase of outbreak investigation, the health department staff should quickly become 'experts' in the disease:

- Explanatory Phase
- Control phase
- Response Phase
- Descriptive Phase

[Clear my choice](#)

Quiz navigation

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20

Final attempt



Time left 0:33:42

The age standardized incidence rate of cancer (all sites) among females in Jordan per 100,000 population is:

- 132.8
- 138.4
- 110
- 431

[Clear my choice](#)

**Collected by:
Maria Maghaireh**