

INFECTION PREVENTION Quality and Safety



Presented by:
Rachel Valdez-Vargas &
Alex Xelas RN, MSN

April 17th 2019

Bladder Scan	
Reason For Bladder Scan	<input type="checkbox"/> c/o Abdominal Pain <input type="checkbox"/> Bladder Distension <input type="checkbox"/> Post Void Residual <input type="checkbox"/> Unable to Void <input type="checkbox"/> Urinary Retention
Bladder Scan Results	<input type="text"/> (ml)
Bladder Scan Comment	<input type="text"/>
Urinary Catheter	
Reason to Insert/Maintain Indwelling Catheter	<input type="radio"/> Retention/Obstruction <input type="radio"/> GU surgery/procedure <input type="radio"/> Intravesical admin dx/tx <input type="radio"/> Critical I&O-unstable pt <input type="radio"/> Continuous bladder irrig. <input type="radio"/> Multitrauma+prolong immob <input type="radio"/> Sacral decub-Stage 3 & up <input type="radio"/> End of life comfort care <input type="radio"/> Immediate postop period
Catheter Type/Location	<input type="radio"/> Urethral Indwelling Cath <input type="radio"/> Coude <input type="radio"/> 3-Way <input type="radio"/> Suprapubic
Urinary Catheter Size	<input type="text"/> (14 - 16 French)
Catheter Insertion Date	<input type="text"/>
Urinary Catheter Patency	<input type="radio"/> Patent/Draining <input type="radio"/> Irrigated <input type="radio"/> Continuous Irrigation <input type="radio"/> Indwelling Catheter D/C'd
Urinary Catheter Comment	<input type="text"/>
Bladder Stoma Present	<input type="radio"/> Yes <input type="radio"/> No



Current

 2/25/19 18:00 thru 2/26/19 14:58	2/25/19 18:00
 ADL Care Provided	
ADL Care Provided	Yes
Recorded by	Daniella Gavilanes Tech

Change

Hygiene Support Provided	<input type="radio"/> Independent <input type="radio"/> Partial assistance <input type="radio"/> Total assistance		
Hygiene	<input type="checkbox"/> Back rub <input type="checkbox"/> Bath with cloths <input type="checkbox"/> Chlorhexidine Bath <input type="checkbox"/> Denture Care <input type="checkbox"/> Face washed <input checked="" type="checkbox"/> Indwelling Catheter Care <input type="checkbox"/> Hands washed	<input type="checkbox"/> Linen change <input type="checkbox"/> Lotion applied <input type="checkbox"/> Moisture Barrier applied <input type="checkbox"/> Oral Care with swabs <input type="checkbox"/> Oral Suction Swab <input type="checkbox"/> Oral Suction Toothbrush	<input type="checkbox"/> Peri Care <input type="checkbox"/> Shampoo <input type="checkbox"/> Shave <input type="checkbox"/> Shower <input type="checkbox"/> Teeth brushed <input type="checkbox"/> Toileted
Caregiver Assisted With	<input type="checkbox"/> Personal Care <input type="checkbox"/> Safety Measures <input type="checkbox"/> Diversional Activities <input type="checkbox"/> Medication Education <input type="checkbox"/> Meal <input type="checkbox"/> Mobility <input type="checkbox"/> Emotional/Spiritual <input type="checkbox"/> Other		

Disinfecting Port Caps assist in keeping the needless connector (Clave) disinfected



- A NEW Disinfecting Port Cap is to be used each time the needless connector is accessed

Maintaining IV Tubing Sterility

- Use Disinfecting Tips on IV tubing when not in use



PRODUCT GUIDE

Prevantics® Device Swab

3.15% Chlorhexidine Gluconate and 70% Isopropyl Alcohol Swab intended to disinfect needleless access sites prior to use

Scrub Time

5
Seconds

Dry Time

5
Seconds

WHERE TO USE:

- Needleless access sites prior to use

REMEMBER:

- Designed for disinfection of needleless access sites between each use.
- Do not blot or wipe dry.
- Implementation support provided by PDI's dedicated sales and clinical team.



PDI

Two Nice-Pak Park, Orangeburg, NY 10962-1376 + 1-800-999-6423
+ Phone: (845) 365-1700 + Fax: (845) 398-5347 + pdihc.com

©2014 Professional Disposables International, Inc. All rights reserved.

