



OUR RIVER OF CARE IS A BRIDGE TO WELLNESS

EP19EO – AMBULATORY NURSE SENSITIVE QUALITY INDICATORS

EP19EO: Unit- or clinic-level nurse sensitive clinical indicator data outperform the mean or median of the national database used.

Provide two nurse-sensitive clinical indicators from the most recent 8 consecutive quarters of unit- and clinic-level nurse sensitive, clinical indicator data from the ambulatory setting (ex: ED, ambulatory surgery centers, and nurse-run clinics) to demonstrate outperformance of the mean, median, or other measure of central tendency (benchmark provided by the vendor's national database), or at the highest available level. Data must be the most recent 8 complete quarters available from the vendor(s).

DATA COLLECTION & BENCHMARKS

The Department of Nursing at Phelps Hospital evaluates performance of nursingsensitive quality indicators by comparing ourselves to appropriate national benchmarks.

Nursing Sensitive Quality Indicators: We are reporting data for the following measures:

- Falls with Injury
- Patient Burns

Reporting Period: The reported data spans eight quarters from 4Q17 through 3Q19. Data is reported quarterly by unit.

EP19EO – Table 1 – Phelps Hospital Unit-Level Measures & Benchmarks

Phelp	s Hospital	Benchmark: Database & Cohort	
Туре	Unit	Falls with Injury	Patient Burns
Operating Room	OR	vendor does not collect	NDNQI: All Hospitals Mean
Rehabiitation	Out-Patient Behavioral Health	vendor does not collect	not a perioperative setting
Ambulatory	Pain Center (Management)	NDNQI: All Hospitals Mean	not a perioperative setting
Emergency Department	Emergency Dept. (ER)	NDNQI: All Hospitals Mean	not a perioperative setting
Specialty Practice	Wound Healing Institute (Wound Clinic)	NDNQI: All Hospitals Mean	not a perioperative setting
Specialty Practice	(Interventional) Radiology	NDNQI: All Hospitals Mean	NDNQI: All Hospitals Mean
Specialty Practice	Hyperbaric	NDNQI: All Hospitals Mean	not a perioperative setting
Specialty Practice	Cardiovascular (Outpatient Cardiology)	NDNQI: All Hospitals Mean	not a perioperative setting
Oncology	Infusion Center/ Unit	NDNQI: All Hospitals Mean	not a perioperative setting
PACU	PACU	NDNQI: All Hospitals Mean	not a perioperative setting
Same Day/Ambulatory Procedure	Endoscopy	NDNQI: All Hospitals Mean	NDNQI: All Hospitals Mean
Same Day/Ambulatory Procedure	ASU	NDNQI: All Hospitals Mean	not a perioperative setting
Pre-Operative	PSA	vendor does not collect	not a perioperative setting

Falls with Injury

Falls with injury, can have a detrimental effect on patients resulting in possible increased length of stay and increased risk of long-term mobility challenges. Nurses assess fall risk for individual patients and implement interventions as required.

Falls with Injury 9 of 9 Units Outperform * less than 8 quarters of data					
Unit Type	Unit	Performance Analysis	Outperformed		
Operating Room	OR	vendor does not collect	N/A		
Rehabiitation	Out-Patient Behavioral Health	vendor does not collect	N/A		
Ambulatory	Pain Center (Management)	8 of 8 qts Outperform	*		
Emergency Department	Emergency Dept. (ER)	6 of 8 qts Outperform*	*		
Specialty Practice	Wound Healing Institute (Wound Clinic)	7 of 8 qts Outperform	*		
Specialty Practice	(Interventional) Radiology	8 of 8 qts Outperform	*		
Specialty Practice	Hyperbaric	3 of 8 qts Outperform*	not inclued in denominator		
Specialty Practice	Cardiovascular (Outpatient Cardiology)	7 of 8 qts Outperform	\star		
Oncology	Infusion Center/ Unit	8 of 8 qts Outperform	*		
PACU	PACU	8 of 8 qts Outperform	*		
Same Day/Ambulatory Procedure	Endoscopy	7 of 8 qts Outperform	*		
Same Day/Ambulatory Procedure	ASU	8 of 8 qts Outperform	*		
Pre-Operative	PSA	vendor does not collect	N/A		

EP19EO – Table 2 – Phelps Hospital Falls with Inj	jury Performance Summary
---	--------------------------

Rehabiitation: Out-Patient Behavioral Health - vendor does not collect

Ambulatory: Pain Center (Management)

EP19EO – Graph 1 – Pain Center (Management) Falls with Injury



Emergency Department: Emergency Dept. (ER)



EP19EO – Graph 2 – Emergency Dept. (ER) Falls with Injury

No data 4Q17: Falls data submitted to vendor but patient volume not collected unitl 1Q18

Specialty Practice: Wound Healing Institute (Wound Clinic)

EP19EO – Graph 3 – Wound Healing Institute (Wound Clinic) Falls with Injury



Wound Healing Institute combined with Hyperbaric 4Q17-4Q18

Specialty Practice: (Interventional) Radiology



EP19EO – Graph 4 – (Interventional) Radiology Falls with Injury

Specialty Practice: Hyperbaric

EP19EO – Graph 5 – Hyperbaric Falls with Injury



Hyperbaric combined with Wound Healing Institute 4Q17-4Q18

Specialty Practice: Cardiovascular (Outpatient Cardiology)





Oncology: Infusion Center/Unit





PACU: PACU



EP19EO – Graph 8 – PACU Falls with Injury

Same Day/Ambulatory Procedure: Endoscopy

EP19EO – Graph 9 – Endoscopy Falls with Injury



Same Day/Ambulatory Procedure: ASU



EP19EO – Graph 10 – ASU Falls with Injury

Pre-Operative: PSA - vendor does not collect

Patient Burns

Surgical burns can cause potentially life-long issues that may require additional interventions and invasive surgeries for patients. Nurses can have a direct impact on surgical burn outcomes. To minimize the effects of surgical burns, our nurses adhere to all safety measures.

Patient Burns 3 of 3 Units Outperform * less than 8 quarters of data					
Unit Type	Unit	Performance Analysis	Outperformed		
Operating Room	OR	5 of 8 qts Outperform*	*		
Specialty Practice	(Interventional) Radiology	5 of 8 qts Outperform*	*		
Same Day/Ambulatory Procedure	Endoscopy	5 of 8 qts Outperform*	*		

Operating Room: OR



EP19EO – Graph 11 – OR Patient Burns

Specialty Practice: (Interventional) Radiology

EP19EO – Graph 12 – (Interventional) Radiology Patient Burns



Same Day/Ambulatory Procedure: Endoscopy



EP19EO – Graph 13 – Endoscopy Patient Burns