Chasing Zero HAI

Quality & Safety May 2021

Infection Prevention





Why Change the Culture Around Devices?

	2018	2019	2020	2021
CAUTI Events	0	5	10	3
CLABSI Events	2	2	4	3

- 1. Better patient outcomes with Best Practice
- 2. Decreased LOS
- 3. Reputation-"Star Rating"
- 4. Financial Penalties Value Based Purchasing



CLABSI Opportunities for Improvement

- Adherence to Central Line Insertion Checklist
- Daily assessment/documentation of need
 - Routine care and Maintenance of catheter, IV tubing and dressing
- CHG Bathing
- Scrub the hub
 - Sterile cap on idle lines
- Blood culture collection
- Hand Hygiene
- High Risk for Infection Patient not Managed up Timely



Daily CHG Bathing Indications



ICU Admission

Central Lines

PICC

TLC

Port

Dialysis

PA Line

Midlines

MDRO

MRSA

CRE

ESBL



Reflex Order

PORT: Provider Order (MD/NP/PA) is required to <u>ACCESS</u> and <u>De-ACCESS</u> a PORT



cess Port

- 10mL NS Syringes
- CHG bathing Q24H → CHG Bathing Record DAILY (pink @ 10am)


CHG Bathing: Provider Order x1 during hospitalization

- CVC/PICC/PORT
- Hemodialysis Catheters
- ICU

Midline

MDRO

- Pre-Operative (SSI)
- Chlorhexidine Gluconate (CHG) Bathing of Adult Patients INF.2014





CHG Bathing Pre-Op

- Hip or knee joint replacement
- Colon
- Abdominal Hysterectomy
- Lumbar spine

